

AMPHIPOD NEWSLETTER 9¹

October 1977

Again the newsletter is a few months delayed: my excuses are the same as in A.N. 8. I hope the quality has not suffered. Jim Lowry's contribution on the life and works of Charles Chilton will no doubt be a most welcome aid for many of us, and Mike Thurston has written a thoughtful essay on regional amphipod faunas. There is also further news on the forthcoming Gammarus/Niphargus symposium in Virginia, and the promised updated list of subscribers, as well as the usual columns and bibliography.

The regional editors have been listed in AN 8, and the system functions very well. I am especially grateful to Les Watling for most effective assistance.

The deadline for A.N. 10 will be 1 december 1977.

Wim Vader
Tromsø Museum
University of Tromsø
N-9001 Tromsø
Norway

May 1978

Due to problems with Zoo-Tax, Wim Vader was unable to get AN 9 printed, so I am having it printed here at the University of Maine. AN 10, and probably future newsletters, will be printed here also. You should continue to send your news, dues, etc. to your regional editor or to Wim directly.

Les Watling
Department of Oceanography
Ira C. Darling Center
University of Maine
Walpole, Maine 04573

¹ This newsletter was re-typed in 2017 from an old copy of the original newsletter. Sadly, some pages were not of a quality where all letters were visible. When it was impossible to reconstruct what was missing, ... has been inserted to denote missing letters. Anne Helene S: Tandberg

A BIBLIOGRAPHY AND LIST OF THE AMPHIPOD SPECIES DESCRIBED BY CHARLES CHILTON (1860-1929)

Jim Lowry, The Australian Museum

Charles Chilton was born in Hereford, England, but grew up on a farm in East Eyreton, New Zealand. Probably because he lost a leg at an early stage it was decided that he would not be a farmer like his father. Consequently he attended Canterbury College in Christchurch, New Zealand, where he gained a BA in 1880 and an MA in 1881. In 1886 he received the first New Zealand BSc from Otago University, Dunedin, and in 1893 the first New Zealand DSc. He later took a medical degree at Edinburgh University. From 1910 to 1928 he was Professor of Biology at Canterbury College, and became Rector of the College in 1921. In 1907 he lead the Canterbury Philosophical Society Expedition to the New Zealand Subantarctic Islands and edited the two volume expedition results. A more detailed account of his life can be found in the obituary written by his friend and colleague G.M. Thomson (1930, Trans Proc. N.Z. Inst., 60(4): 587-589). Recently D.E. Huxley (1975, N.Z. Nat. Her., 3(43): iii) has written a biographical sketch of his life.

Chilton published about 130 scientific papers during his career. Although this work covered a wide range of Crustacea the majority dealt with amphipods and isopods. He published 71 papers on amphipods of which 24 contain new species descriptions. Nearly half of the 51 new species he described are in the families Gammaridae and Talitridae. More than half of his described species come from the New Zealand area, but he also worked on marine amphipods from the Antartic, and marine and freshwater species from Australia, India and the Phillipines. Chilton's early taxonomic work is considered sound, but after his stay in the British Isles his taxonomic philosophy changed dramatically and he became a proponent of wide ranging, variable species. During this time, as Hurley (1975, Ibid.) says, "he searches for reasons to avoid describing species". However, regardless of this criticism, Chilton's work forms the basis of New Zealand amphipod systematics, a basis superbly developed by D.E. Hurley and J.L. Barnard. Chilton's books and bound reprint collection of over 50 volumes are housed at the University of Canterbury, Christchurch, New Zealand. The majority of his amphipod collection is deposited at the Canterbury Museum, Christchurch.

List of the new general and new species described by Charles Chilton. New genera are listed in upper case.

New species	Date	Present name
Acanthonotozomatidae		
<i>Acanthonotozoma australis</i>	1912 a	<i>Bathypanoploea australis</i>
Amphilochidae		
<i>Cyproidia otakensis</i>	1900 a	<i>Neocyproidea otakensis</i>
Ceinidae		
<i>Nicea egregia</i>	1883	<i>Ceina egregia</i>

Corophiidae		
<i>Corophium ledenfeldi</i>	1884 d	<i>Haplocheira ledenfeldi</i>
<i>Eurysteus persetosus</i>	1921 c	<i>Gammaropsis persetosus</i>
<i>Grandidierella gilesi</i>	1921 d	
<i>PARANAENIA typical</i>	1884 d	<i>Gammaropsis typical</i>
<i>Podoceropsis insignis</i>	1925 b	
Dexaminidae		
<i>SYNDEXAMINE carinata</i>	1914	
Eophilantidae		
<i>BIRCENNA fulvus</i>	1884 d	
Eusiridae		
<i>Atylodes calceolate</i>	1912 a	<i>Schraderia gracilis</i>
<i>Calliope subterranea</i>	1882 b	<i>Paraleptamphopus subterraneus</i>
<i>Eusirus splendidus</i>	1912 a	<i>Eusirus perdentatus</i>
<i>Haliragoides australis</i>	1912 a	
<i>Moera incerta</i>	1883	<i>Maera incerta</i>
<i>Panoploea tuberculens</i>	1884 d	<i>Apherusa translucens</i>
Gammaridae		
<i>Crangonyx compactus</i>	1882 b	<i>Paracrangonyx compactus</i>
<i>Elasmopus bollonsi</i>	1915	
<i>Elasmopus neglecti</i>	1915	
<i>Gammarus barringtonensis</i>	1916 c	<i>Paramelita barringtonensis</i>
<i>Gammarus fragilis</i>	1882 b	<i>Phreatogammarus fragilis</i>
<i>Moera festiva</i>	1884 a	<i>Melita festiva</i>
<i>Neoniphargus westralis</i>	1925 c	<i>Uroctena westralis</i>
<i>Niphargus australensis</i>	1923 c	
<i>Niphargus chilensis</i>	1921 d	<i>Eriopisa chilensis</i>
<i>Niphargus indicus</i>	1923 a	<i>Neoniphargus indicus</i>
<i>Niphargus philippensis</i>	1920 c	<i>Eriopisa philippensis</i>
<i>Phreatogammarus halmsii</i>	1918 a	
<i>Phreatogammarus propinquus</i>	1907	
..oriidae		
<i>Platyischnopus neozlanicus</i>	1897	
Ischyroceridae		
<i>Podocerus frequens</i>	1883	<i>Ventojassa frequens</i>
<i>Podocerus latipes</i>	1884 d	<i>Ventojassa frequens</i>
Liljeborgiidae		
<i>Idunella chilensis</i>	1921 d	
Lysianassidae		
<i>Alicella scotiae</i>	1912 a	
<i>ENDEVOURA mirabilis</i>	1921 c	
<i>Glycerina affinis</i>	1884 a	<i>Amaryllis macrophthalma</i>

<i>Orchomenopsis coatsi</i>	1912 a	<i>Pseudorchomene coatsi</i>
Sebidae		
<i>TETRATICUM typicum</i>	1884 d	<i>Seba typica</i>
Stegocephalidae		
<i>Cyproidea crassa</i>	1883	<i>Tetradeion crassum</i>
Stenothoidae		
<i>Thaumatelson inermis</i>	1912 a	<i>Prothaumatelson nasutum</i>
<i>Thaumatelson walkeri</i>	1912 a	<i>Anatelson walkeri</i>
Talitridae		
<i>Hyale grenfelli</i>	1916 a	
<i>Hyale saldanha</i>	1912 a	
<i>Hyalella mihiwaka</i>	1898	<i>Chiltonia mihiwaka</i>
<i>Orchestia bollonsi</i>	1909 a	
<i>Orchestia miranda</i>	1916 a	
<i>Parorchestia improvisa</i>	1909 a	<i>Orchestia improvisa</i>
<i>Parorchestia insularis</i>	1909 a	<i>Orchestia insularis</i>
<i>Parorchestia maynei</i>	1909 a	<i>Orchestia maynei</i>
<i>Parorchestia parva</i>	1909 a	<i>Orchestia parva</i>
<i>Talorchestia sinensis</i>	1925 a	

CHILTON, C. 1882 a: Addition to the New Zealand Crustacea. Transactions and Proceedings of the New Zealand Institute 14: 171-174.

_____ 1882 b: On some subterranean Crustacea. Transactions and Proceedings of the New Zealand Institute 14: 174-180.

_____ 1883: Further additions to our knowledge of the New Zealand Crustacea. Transactions and Proceedings of the New Zealand Institute 15: 69-86. Pls 1-3.

_____ 1884 a: Notes on a few Australian Eritophthalmata. Proceedings of the Linnean Society of New South Wales 9: 1035-1044.

_____ 1884 b: The distribution of terrestrial Crustacea. New Zealand Journal of Science 2: 154-157.

_____ 1884 c: *Moera petriei* (G.M. Thomson). New Zealand Journal of Science 2: 230-231.

_____ 1884 d: Additions to the sessile-eyed Crustacea of New Zealand. Transactions and Proceedings of the New Zealand Institute 16: 249-265.

_____ 1885 a: On an example of polymorphism in the Amphipoda. Annals and Magazine of Natural History, series 5, 16: 368-376, Pl 10.

_____ 1885 b: Polymorphism among the Amphipoda. New Zealand Journal of Science 2: 560-562.

_____ 1892 a: Notes on some New Zealand Amphipoda and Isopoda. Transactions and Proceedings of the New Zealand Institute 24: 258-269.

_____ 1892 b: On a tubicolous amphipod from Port Jackson. Records of the Australian Museum 2: 1-7, Pls 1, 2.

_____ 1897: A new amphipod from New Zealand (family Pontoporeiidae). Annals and Magazine of Natural History, series 6, 19: 1-6, Pl 5.

_____ 1898: A new freshwater amphipod from New Zealand. Annals and Magazine of Natural History, series 7, 1: 423-426, Pl. 18.

_____ 1900 a: A New Zealand species of the amphipodan genus *Cyproidea*. Annals and Magazine of Natural History, series 7, 5: 241-246, Pl. 5.

_____ 1900 b: The subterranean Amphipoda of the British Isles. Journal of the Linnean Society – Zoology 28: 140-161. Pls 16-18.

_____ 1906 a: Report of some Crustacea dredged off the coast of Auckland. Transactions and Proceedings of the New Zealand Institute 38: 265-268.

_____ 1906 b: List of Crustacea from the Chatham Islands. Transactions and Proceedings of the New Zealand Institute 38: 269-273.

_____ 1906 c: Note on a New Zealand amphipod belonging to the genus *Seba*. Annals and Magazine of Natural History, series 7, 17: 569-573.

_____ 1906 d: Note on some Crustacea from the freshwater lakes of New Zealand. Proceedings of the Zoological Society of London 1906: 702-205.

_____ 1907: A new freshwater gammarid from New Zealand. Annals and Magazine of Natural History, series 7: 19: 388-390, Pl. 11.

_____ 1909 a: The Crustacea of the Subantarctic Islands of New Zealand. 601-671 p. In "The Subantarctic Islands of New Zealand" Vol 2. C. Chilton (Ed.). John McKay, Wellington.

_____ 1909 b: The freshwater Amphipoda of New Zealand. Transactions and Proceedings of the New Zealand Institute 41: 53-59.

_____ 1909 c: Note on amphipodan genera *Bircenna*, *Kuria* and *Wandelina*. Transactions and Proceedings of the New Zealand Institute 41: 59-63.

_____ 1911 a: Note on the dispersal of marine Crustacea by means of ships. Transactions and Proceedings of the New Zealand Institute 43: 131-133.

- _____ 1911 b: The Crustacea of the Kermadec Islands. Transactions and Proceedings of the New Zealand Institute 43: 544-573.
- _____ 1911 c: Scientific results of the New Zealand Government Trawling Expedition, 1907. Crustacea. Records of the Canterbury Museum 1(3): 285-312, Pl. 58.
- _____ 1912 a: The Amphipoda of the Scottish National Antarctic Expedition. Transactions of the Royal Society of Edinburgh 48(2): 455-520.
- _____ 1912 b: Miscellaneous notes on some New Zealand Crustacea. Transactions and Proceedings of the New Zealand Institute 44: 128-135.
- _____ 1912 c: Note on *Orchestia parvispinosa* M. Weber, a terrestrial amphipod from Java. Notes from the Leyden Museum 34: 163-168, Pls 6, 7.
- _____ 1913: Revision of the Amphipoda from South Georgia in the Hamburg Museum. Mitteilungen aus dem Naturhistorischen Museum 30: 53-63.
- _____ 1914: A new amphipodan genus and species (family Dexaminidae) from New Zealand. Journal of the Linnean Society – Zoology 32: 331-336, Pls 26, 27.
- _____ 1915: The New Zealand species of the amphipodan genus *Elasmopus*. Transactions and Proceedings of the New Zealand Institute 47: 320-330.
- _____ 1916 a: A new species of the amphipodan genus *Hyale* from New Zealand. Annals and Magazine of Natural History, series 8, 17: 362-366.
- _____ 1916 b: *Paraperusa crassipes* (Haswell), and amphipod of Australasian seas. Annals and Magazine of Natural History, series 8, 18: 199-207, Pls 8.10.
- _____ 1916 c: A new species of *Orchestia*. Transactions and Proceedings of the New Zealand Institute 48: 354-359.
- _____ 1916 d: Some Australian and New Zealand Gammaridae. Transactions and Proceedings of the New Zealand Institute 48: 359-370.
- _____ 1916 e: Some Amphipoda and Isopoda from Barrington Tops (4600 ft. alt.) N.S.W. Journal of Proceedings of the Royal Society of New South Wales 1: 82-98.
- _____ 1917 a: Notes on the distribution of the amphipods, *Elasmopus rapax*, A. Costa, and *Maera inaequipes* (A. Costa). Journal of Zoological Research 2(1): 17-19.
- _____ 1917 b: Further notes on the New Zealand amphipod *Hyale grenfelli*, Chilton. Annals and Magazine of Natural History, series 8, 19: 273-276.

_____ 1917 c: The identity of the two amphipods, *Ampelisca eschrichtii*, Krøyer, and *A. macrocephala*, Liljeborg, considered from an Antarctic point of view. Journal of Zoological Research 2(2): 75-93.

_____ 1917 d: The New Zealand sand-hoppers belonging to the genus *Talorchestia*. Transactions and Proceedings of the New Zealand Institute 49: 292-303.

_____ 1918 a: Some New Zealand Amphipoda belonging to the genus *Phreatogammarus*. Journal of Zoological Research 3(2,3): 81-86.

_____ 1918 b: Note on an abnormal appendage in the amphipod *Orchestia marmorata* (Haswell). Journal of Zoological Research 3(4): 97-99.

_____ 1919 a: The amphipod *Orchestia tucurauna*, Fritz Müller, of Brazil, redescribed from New Zealand specimens. Annals and Magazine of Natural History, series 9, 3:375-386.

_____ 1919 b: *Ceina*, and aberrant genus of the amphipodan family Talitridae. Transactions and Proceedings of the New Zealand Institute 51: 118-129

_____ 1919 c: Destructive boring Crustacea in New Zealand. New Zealand Journal of Science and Technology 2(1): 3-15.

_____ 1920 a: Some New Zealand Amphipoda: No 1. Transactions and Proceedings of the New Zealand Institute 52: 1-8.

_____ 1920 b: The occurrence in Brisbane River of the New Zealand amphipod, *Paracorophium excavatum* (G. M. Thomson). Memoirs of the Queensland Museum 7(1): 1-8.

_____ 1920 c: Note on the occurrence in the river Ganges of the amphipod, *Ampelisca pusilla* Sars. Records of the Indian Museum 19(3): 79-80.

_____ 1920 d: The occurrence in the Philippine Islands of the fresh-water amphipod *Paracalliope fluviatilis* (G.M. Thomson). Philippine Journal of Science 17(5): 513-514.

_____ 1920 e: *Niphargus philippensis*, a new species of amphipod from the underground waters of the Philippine Islands. Philippine Journal of Science 17(5): 515-523, Figs 1-3.

_____ 1921 a: Two examples of abnormal antennae in the Crustacea Amphipoda. Annals and Magazine of Natural History, series 9, 8: 116-118.

_____ 1921 b: Some New Zealand Amphipoda: No. 2. Transactions and Proceedings of the New Zealand Institute 53: 220-234.

_____ 1921 c: Report on the Amphipoda obtained by the F.I.S. "Endeavour" in Australian seas. Biological Results of the Fishing Experiments carried out by the F.I.S. "Endeavour" 1909-1914. 5(2): 31-92.

_____ 1921 d: Fauna of the Chilka Lake. Amphipoda. Memoirs of the Indian Museum 5: 519-550.

_____ 1921 e: A small collection of Amphipoda from Juan Fernandez. 81-92 p. In "The Natural History of Juan Fernandez and Easter Island", Vol 3. C. Skottsberg (Ed.). Almquist and Wiksells Boktryckeri – A. – B. Uppsala.

_____ 1922 a: The Flora and Fauna of Nuyt's Archipelago and the Investigator Group. No. 1 – The Amphipoda and Isopoda. Transactions of the Royal Society of South Australia 46: 34-38.

_____ 1922 b: Results of Dr. E. Mjöberg's Swedish Scientific Expedition to Australia 1910-13. 31 – Amphipoda. Kungliga Svenska Vetenskapsakademiens Handlingar 63(3): 1-11.

_____ 1923 a: Some New Zealand Amphipoda: No 3. Transactions and Proceedings of the New Zealand Institute 54: 240-245.

_____ 1923 b: A blind amphipod from a mine in Bengal. Records of the Indian Museum 25(2): 195-196.

_____ 1923 c: Occasional notes on Australian Amphipoda. Records of the Australian Museum 14(2): 79-100.

_____ 1924 a: Some New Zealand Amphipoda: No 4. Transactions and Proceedings of the New Zealand Institute 55: 269-280.

_____ 1924 b: Some New Zealand Amphipoda: No 5. Transactions and Proceedings of the New Zealand Institute 55: 631-637.

_____ 1925 a: On a species of *Talorchestia*. China Journal of Science and Arts 3(5): 283-284.

_____ 1925 b: Zoological Results of a tour of the Far East. The Amphipoda of Tale Sap. Memoirs of the Asiatic Society of Bengal 6: 531-539.

_____ 1925 c: A new blind fresh-water amphipod from Western Australia. Journal of the Royal Society of Western Australia 11(9): 81-84, Pls 4, 5.

_____ 1925 d: Some Amphipoda from the South Orkney Islands. Comunicaciones del Museo Nacional de Historia Natural 2: 175-180.

_____ 1925 e: Some Amphipoda and Isopoda from the Chatham Islands. Records of the Canterbury Museum 2: 317-320.

_____ 1926 a: New Zealand Amphipoda. No. 6. Transactions and Proceedings of the New Zealand Institute 56: 512-518.

_____ 1926 b: Abnormal telson in the amphipod *Bovallia monoculoides* (Haswell). New Zealand Journal of Science and Technology 8(2): 109-110.

THOMSON, G.M. and C. CHILTON 1886: Critical list of the Crustacea Malacostraca of New Zealand. Transactions and Proceedings of the New Zealand Institute 18: 141-159.

REVIEW

Guide to the benthic marine amphipods of southern Africa, by Charles Griffiths, Cape Town, Trustees of the South African Museum, 106 pp. 1976.

By Michael H. Thurston

The immense increase in ecological studies in recent years has led to a corresponding increase in the demands made on taxonomists for the identification of specimens. At the same time the low priority or even active antagonism given to teaching and financial support of taxonomy throughout the world has led to a shortage of taxonomist. In a number of "difficult" but commonly occurring groups, of which the Amphipoda are a prime example, many taxonomists receive more requests for assistance than they can cope with. That most taxonomists have other responsibilities - administrative, ecological and so on - only compounds the problem. The increasing number of synecological papers dealing in part or in whole with supra-specific taxa is a reflection of the shortage of taxonomists and taxonomic ability.

The well-documented shallow-water amphipod faunas of the North Atlantic and Mediterranean lend themselves to the production of comprehensive regional faunal guides. Such faunal guides enable non-specialists to identify their collections with some accuracy, although it should be emphasised that even in these areas undescribed species and unresolved taxonomic problems still exist. In less well-known areas these difficulties are compounded and the pitfalls of producing and using a faunal guide are greatly increased. There comes a point at which a faunistic compilation for a fragmentary known fauna can be counter-productive except as a working guide to a specialist. The temptation to publish a regional fauna at too early a stage in the knowledge of that fauna is one which should be resisted despite the pressures of frequent requests for identifications of material by non-specialists. Once a faunal guide has been justified, produced and published, the author can have no direct control over how it is used by non-specialists. As the way in which such a fauna is produced can have considerable indirect bearing on the quantity and quality of data which it generates, the initiating responsibility is a heavy one.

With these strictures in mind, the recently published "Guide" can be assessed. The introduction begins with a brief justification for producing such a guide, emphasizing the scattered nature of the relevant literature and the problems that this poses. A short account of the historical background to studies within the area is followed by notes on collection, preservation and examination techniques together with, for the uninitiated, an explanation on how to use the identification keys. The main body of the "Guide"

begins with diagnoses of the Amphipoda and the four sub-orders, and diagrams to illustrate amphipod morphology. A key separating those families recorded in the area is accompanied by a warning against its use in other areas. Each family is diagnosed and the relationships with allied families discussed briefly. One or more keys are provided enabling specific identification to be made. Thumb-nail sketches of the diagnostic characters of most of the 300 or so species of gammarids and caprellids considered clarify the keys. Appendices include a check list of recorded species together with taxonomic and geographical data, and a glossary of terms used.

A reference to the five papers by Griffiths which led up to the "Guide" and the brief reference in the "Guide" itself make it clear that the sampling cover is hardly adequate for so great a region. With the exception of the Cape Province area samples are sparse and very patchily distributed. Estuarine and littoral habits have been more adequately sampled than have sublittoral areas, particularly those beyond the continental shelf. The geographical area nominally covered – southern Africa south of 20°S, littoral to 1000m – seems over-optimistic. At the present state of knowledge narrower limits, both geographically and bathymetrically, probably would have been more appropriate, and would have prolonged the potential useful life of the "Guide".

The "Guide" is commendably free from errors, and those few which do exist are mostly typographical and unlikely to cause any confusion. The J.L. Barnard reference on p. 74 is to the 1962 publication, not 1972 as printed, and on p. 91 the Griffiths (1975) reference deals with material from *west* of Cape Agulhas. A map of the region covered is provided, and it is a minor irritation that some of the localities in both text and Appendix are not included on it. This is probably of little concern to local users, but foreign workers will find it something of a nuisance. It is curious, in the section on sexing amphipods that no mention is made of the male genital papillae, surely a useful means of separating the sexes. Storing Amphipod particularly caprellids and long-legged or spinous form in tubes with cotton-wool plugs is not to be recommended: plastic or polystyrene rings, or cotton-wool plugs wrapped in tissue-paper are more satisfactory. Such closures greatly reduce the likelihood of entanglement and subsequent damage to delicate specimens. The addition of an index would have been advantageous.

These rather minor criticisms do not significantly detract from the value of the "Guide" which will be invaluable to any worker concerned with the benthic amphipods of South Africa and will surely fulfill the professed aim of stimulating further investigation of the group. At a price equivalent to L sterling 1.70 (about 3 U.S. dollars) it will be within the price range of most likely purchasers.

FOURTH INTERNATIONAL COLLOQUIUM ON *GAMMARUS* AND *NIPHARGUS*
AND SECOND INTERNATIONAL SYMPOSIUM ON GROUNDWATER
ECOLOGY
BLACKSBURG, VIRGINIA, U.S.A. – SEPTEMBER 10-16, 1978

June 1977
2nd Circular Letter

Dear Colleagues,

We are happy to inform you that there were 85 responses from 20 countries to our first circular letter regarding the 1978 conference in Blacksburg. The objective of the second circular letter is to bring a number of important items to your attention.

1. In summarizing the responses for the amphipod section of the conference, we noted a strong interest for systematics, ecology, physiology, and ethology and some interest for genetics. An interest was also expressed in having papers in subterranean and/or groundwater related amphipod genera other than *Niphargus* and *Gammarus*. Numerous subterranean amphipod genera were mentioned and papers on them are encouraged for the conference (e.g., *Crangonyx*, *Stygobromus*, *Bogidiella*, *Ingolfiella*, *Hadzia*, *Synurella*, etc.).

For the groundwater section of the conference, a number of interesting topics were suggested. Among them were papers on: a) isopods, bathynellids, harpacticoid copepods, thermosbaenaceans, miscellaneous subterranean crustacean groups, water mites, nematodes, etc.; b) pollution, population and community ecology of groundwater systems; c) dispersal and zoogeography; d) phreatic water faunas of different parts of the world; and e) biological ramifications of physico-chemical changes in groundwater habitats.

Some of you also suggested topics for informal evening discussion sessions and these have been condensed into five basic categories: a) Comparison of regional groundwater faunas, such as the Mediterranean – Caribbean areas; b) Strategies for protection of endangered and threatened groundwater species and ecosystems; c) Revisionary concepts of gammaroidean amphipod taxonomy, with emphasis on ancestral and derived characters, evolutionary patterns, and creation of higher taxa; d) Ecological classification of groundwater fauna and standardization of groundwater biotype and ecosystem terminology; and e) Sampling techniques for groundwater fauna. Plans are being made for these discussion sessions to be held during the conference.

2. Preliminary Call for Papers: As a convenience to registrants, abstracts of the papers to be presented at the conference will be reproduced (as written), collated and distributed at registration. Abstracts are for information only and will not be considered as formal publication.

Deadline for receipt of both titles and abstracts will be 31 May 1978. Titles without abstracts will not be accepted. Any titles and abstracts received after 31 May 1978 will not be included in the conference.

Rules and regulations for preparation of abstracts must be strictly adhered to and are as follows:

- a) Written in English, French or German
- b) Typewritten, double spaced on one side of a single page corresponding to the example attached. The text of the abstract must be confined to the space and should not exceed approximately 200 words.
- c) Abstracts should be sent to: Dr. Arthur L. Buikema, Jr.

Preparations are being made for publication of papers at the conference. Details will follow in the 3rd circular letter. Manuscripts to be considered for publication will be due during the week of the conference. Papers not received at this time will not be published in the proceedings.

- 3. A final proposal has been submitted to the National Science Foundation for partial support of the meeting and money for travel grants to support primarily our eastern European colleagues. The chances for funding appear good to excellent, but we probably will not have financial approval for funds until approximately six months prior to the meeting.
- 4. We would like to bring your attention to the possibility for post-conference field trips and pre- or post-conference visitation to North American museums.
 - a) Arrangements for visiting the National Museum of Canada can be made by contacting Dr. E.L. Bousfield, National Museum of Canada, Museum of Natural Sciences, Ottawa, KLAOM8, Canada.

For the Smithsonian Institution, contact Dr. J.L. Barnard or Dr. T.E. Bowman, Department of Invertebrate Zoology, National Museum of Natural History, Smithsonian Institution, Washington, D.C., U.S.A.

- b) Two field trips are being planned as follows:
 - (1) A Two-three day excursion to see selected caves and karst groundwater habitats in the Powell Valley of southwestern Virginia. This area is about 200 miles west-southwest of Blackburg. The trip will be led by Drs. D.C. Culver and J.R.Holsinger. For further details please contact Dr. Holsinger.
 - (2) A two to three day excursion to the Great Dismal Swamp and the Coastal Plain of southwestern Virginia. This trip will be led by Drs. A.L. Buikema and H.G. Marshall. For further details, please contact Dr. Buikema.

Both areas are near airports with connecting flights to other major points in the U.S.

5. A number of people have requested a letter of invitation to facilitate obtaining permission or a subsidy to attend the conference. If you desire a letter of invitation, please contact Dr. Buikema.
6. A third circular letter will be mailed to you in February 1978. Included will be a final call for papers, information on manuscript format for publication, information on housing and meeting accommodations, and details on travel to Blacksburg.

With best regards,

Arthur L. Buikema, Jr.
Associate Professor of Zoology
Virginia Polytechnic Institute &
State University
Blacksburg, Virginia 24061, U.S.A.

John R. Holsinger
Associate Professor of Biological
Sciences
Old Dominion University
Norfolk, Virginia 23508, U.S. A.

ABSTRACTS OF UNPUBLISHED THESES

1. *Ecologie et échantillonnage des populations hyperbenthiques d'amphipods gammaridiens d'un écosystème circalittoral de l'estuaire maritime du Saint-Laurent*

par
Michel BESNER

Département des sciences biologiques, Faculté des arts et des sciences, Université de Montreal, Canada.

Mémoire présenté à la faculté des études supérieures en vue de l'obtention de la maîtrise en sciences biologiques. Septembre 1976.

Mémoire constitué de trois articles autonomes et distincts

Le traineau hyperbenthique macer-giroo: adaptation pour l'échantillonnage quantitatif étage de la petite faune nageuse au voisinage du fond. 1 – 46

Régime saisonnier et journalier de lumière sous-marine, de température et de salinité dans un écosystème circo-littoral de l'estuaire maritime du Saint-Laurent en 1970 et 1971. 1 – 34

Structure écologique annuelle des associations d'amphipodes gammaridiens dans l'hyperbenthos et l'endobenthos d'un fond vaseux circalittoral de l'estuaire maritime du Saint-Laurent en 1970 et 1971. 1 – 130

An abstract of the thesis of

Weldon S. BOSWORTH, Jr. for the degree of Doctor of Philosophy in Zoology
presented on April 30, 1976.

Title: *Biology of the Genus Eohaustorius (Amphipoda: Haustoriidae) on the Oregon Coast.*

Abstract approved: Jefferson J. Gonor, Ph.D.

This study has identified several ecological and physiological differences between four species of the genus *Euhaustorius* inhabiting the sandy beaches of the Oregon coast. This study has also documented several population characteristics which not only contribute to the successful maintenance of populations in a rigorous environment but also may act in concert with the ecological and physiological differences to reduce competition between them. In addition, this study has identified several adaptations that serve to separate the niches of *Eohaustorius* spp. from the other abundant malacostracans.

The four species, *Euhaustorius washingtonianus*, *E. brevicuspis*, *E. sawyeri* and *E. estuarius*, although found in close proximity throughout most of their geographic range have their maximum abundances in different portions of the sandy beach habitat. *E. estuarius* is most abundant in brackish water habitats; *E. brevicuspis* in the high and mid intertidal regions on exposed beaches; *E. washingtonianus* in the low intertidal and shallow subtidal in both exposed and sheltered habitat, and *E. sawyeri* in the shallow subtidal on exposed coasts.

The principal differences between the four species included adult size; brood size and total fecundity; timing of the reproductive cycle; density; intraspecific dispersion; salinity and temperature tolerance and predators.

It was also determined that subtle distributional characteristics within *E. brevicuspis* probably act to both increase reproductive potential by decreasing the probability of interspecific matings, and to also maximize the protection of brooding females. Results of this study also suggests that the peak reproductive period of these species coincides with the time of greatest habitat instability when potential for dispersal to new habitats is greatest. During this time reproductivity is also at its highest and newly released juveniles would have the advantage of having readily available and abundant food supply.

Lastly, this study has verified that these four congeners warrant species rank not only because of their morphological differences but also because of their reproductive isolation.

3. *The Origin and Distribution of Shallow Water Gammaridean Amphipods in the Gulf of Mexico and Caribbean Sea with Notes on Their Ecology*

Larry Don McKINNEY, Biology Department, Texas A&M University, College Station, Texas 77843 ((713) 845-6133 ext. 62), USA.

The present study details the occurrence, distribution and origins of shallow water marine gammarideans in the Gulf of Mexico and Caribbean Sea. One hundred and forty species are diagnosed or discussed and keys to the families, genera and species are provided to further distinguish them. Twenty three new species are described and fully illustrated. They include species of the following genera: *Amphilocheus* (2 species), *Ampithoe*, *Atylus*, *Ceradocus*, *Eriopisa*, *Eusiroides*, *Gammaropsis*, *Gitanopsis*, *Liljeborgia*, *Listrella* (3 species), *Maera*, *Megaluropus*, *Netamelita*, *Parametopella*, *Photis* (2 species), *Platyischnopus*, *Polychaira* and *Seba*.

The emphasis of study was the ecological grouping of epiphytic amphipods generally associated with either of two series of habitats (biotopes): 1) general soft bottom areas dominated by the physical substrate, or 2) special habitats dominated by a complex biological community on hard substrate or a biological substrate. The first series included: bays, lagoons, intertidal zones, and subtidal areas. The second series included: coral, serpulid and oyster reefs, tropical and temperate grass flats, submerged offshore banks, and offshore artificial substrates. 430 pages, 3 figures and 48 plates.

A limited number of copies (20) will be available after July 1, 1977. The copies will cost \$25 each (includes handling and postage). Prepay – required. (see address, etc. above)

4. Summary of my Doctoral in Biology Thesis, presented at the Biology Institute of Bucharest, S.R. of Romania, last November 1976, with prof Bacescu as tutor.

Manolo ORTIZ

Contribution to the knowledge to the Gammaridean Amphipods of the Western Cuban Platform.

The scientific results obtained during 1972-1975 regarding the Benthic Gammaridean Amphipods of the Western Cuban Platform are pointed out. They are included original determination keys and figures for the 25 families, 41 genera and 73 amphipod species (one new genus, *Pseudamphithoides*, and five new species, *Tropichelura gomezi*, *Pseudoamphithoides bacescui*, *Nuuanu (...) muelleri*, *Mallacoota carausci* and *Meterophilias seticoxa*). A quantitative analysis of the amphipod biomass was made using Brillouin's diversity index and the test "T" of Student, supplemented with the analysis of the inter-specific relationships of the amphipods, the symbiotic amphipods, the wood boring amphipods, the amphipods as stomacal contents of several Cuban fishes, the benthic amphipod distribution according to the most important Cuban biotopes, and a zoogeographical discussion of the most important found species. Finally, a summary of the history of amphipod

research all over the world, and in the Caribbean and the Gulf of Mexico is also given.

REQUESTS FOR INFORMATION, etc.

Cheluridae

I should like to correspond and/or exchange material with interested workers in the Florida Keys, Bahamas, and Caribbean area. I would also like to have a series of *Tropichelura*, *Chelura*, and *Nippochelura* from anyone who can spare some specimens. I have found an apparently new species of *Tropichelura* in the Florida Keys which I believe has recently been described as *T. gomezi* by Ortiz working in Cuba. I feel the initial description was not completely adequate and am planning a redescription if I can obtain the type material on loan.

James D. THOMAS

NEWS FROM COLLEAGUES

Jerry L. BARNARD: I have recently visited Australia and Africa before returning to the Smithsonian Institution in mid-December 1976. My three month stay with Margaret Drummond at Victorian Fisheries in Melbourne was most productive. Dhe has discovered the occurrence of *Cheirocratus*- like genera (3) in Tasmania and we are planning to work these up very soon. We worked up most of the taxa in the *Urohaustorius* group (16 so far) and made plans to cover many more segments of her vast collections in the next two years of study; the remaining Oedicerotids, *Paracalliope* and relatives, the remaining gammarid groups.

Gordon S. BOSWORTH, Jr: My Ph.D. dissertation entiteled "Biology of the genus *Euhaustorius* (Amphipoda: Haustoriidae) on the Oregon coast" was completed and defended at Oregon State University last April (see abstract p.--- (17 in original)). Presumably it will be available through University Microfilms in the near future.

Thomas E. BOWMAN: Work in progress – 1. Revision of genus *Primno* (Hyperiidea: Phrosinidae). Now considered monotypic, but actually contains at least 3 species. 2. Description of new terrestrial *Orchestia* from Galapagos islands.

Pierre BRUNEL: He is presently enjoying a "semi-sabbatical", and hopes to complete a number of papers for publication: Of his students, Michel Besner completed his Master's Thesis; this consists of three papers, which are available on loan (see p. --- (16 in original)).

Arthur L. BUIKEMA Jr: My students and I are currently working on an isolated spring form population of *Gammarus minus minus*. In this population the maximum size is 9 mm with an average adult size class of 6 mm. Reproduction occurs all year. All adult females have male genital papillae. By scanning EM and serial sections we are investigating the possibility that this population may be protandrous. Depending in the apparent sex of the animal, it appears that the papillae also may function as oviduct and vas deferens.

Kenneth H. BYNUM: I have finished a multivariate analysis of ecotypic variation in *Caprella penantis* in North Carolina. Principal variation is in size and robustness of the body and seems to be related to degree of wave exposure. In the future I hope to extend this study over broader geographic area, and perhaps also to look at life history variation along the east coast of the United States.

Edsel CAINE: is studying the reproduction, dispersion and community interaction in caprellids.

James R. CHESS: Our major effort during 72-75 concerned trophic relationships in organisms (assemblages) and their fish predators. Analysis of these data continues and we hope to have the ms completed by spring 1978. Our field work is now concentrated on the subtidal communities off Northern California. I visualize many interesting problems with amphipods from this area.

William J. COOKE: I am a graduate student at the University of Hawaii, in the Zoology Dept, and also a taxonomist at the Marine Environmental Management Office of the Naval Ocean. Systems Command of the U.S. Navy. In the course of our studies, we accumulate a large amount of amphipod material, including at least one new species recently. I would very much like to hear of any European workers on Indo-Pacific amphipods.

Robert A. CROKER: Research of myself and students includes: RAC-1) Long-term studies of structure and dynamics of marine sand communities, particularly dominant haustoriid amphipod components 2) Autecological studies of *Melita nitida* 3) Differentiation of spatially separated populations of *Gammarus* species. Richard HAGER – Completion of Ph.D. thesis on *Amphiporeia virginiana*, including life history, behaviour and pelagic occurrence, and distribution related to physical factors. Manaf BEHBEHANI (from Kuwait) – Ph.D. thesis work on *Orchestia platensis*, including life history and ecology, development, and structure of associated wrack community. Clare McBANE – Ph.D. thesis work on *Hyale nilssoni*, including life history and ecology, fine structure of selected sensory structure, and amphipod-algal associations.

G. J. DADSWELL: I am currently working on the fauna of Passamaquoddy Bay (Bay of Fundy), with special interest in amphipods and mysids.

John DICKINSON: has just completed his Ph.D. thesis on the distribution of gammarid amphipods in abyssal waters off Oregon. He is presently working

on seasonal fluctuations and depth zonation of gammarids on the outer shelf of the Beaufort Sea.

Gary W. DICKSON: Papers in press 1. The importance of cave mud sediments in food preference, growth and mortality of the troglobitic amphipod crustacean *Crangonyx antennatus* Packard (Crustacea) 2. (J.R. Holsinger & S.W. Dickson) Burrowing as a means of survival in the troglobitic amphipod crustacean *Crangonyx antennatus* 3. MS thesis (see A.N. 8. P. 15)

Iraida I. GREZE: In 1977 I'll begin preparing for the press another monograph "A key to the amphipods of the Ukrainian SSR".

Krzysztof JAZDŻEWSKI: Paper in press (with Ewa Brzezinska-Braszczyk): Reproductive cycle of *Gammarus fossarum* Koch in Panzer (Crustacea, Amphipoda) in different thermic conditions. Papers in preparation: 1. A paper on the respiration of some Antarctic Amphipoda i.a. *Parathemisto gaudichaudii*, *Eusirus perdentatus*, *Byblis securiger* (with K.W. Opalinski) 2. A paper on the amphipods collected by 3 recent Polish Antarctic expeditions (with Cl. De Broyer)

Graham S. JOHNSON: The chapter "Crustacea Peracarida" for the series "Reproduction in Marine Invertebrates" (A.C. Giese & J.S. Pearse, eds, Academic Press) is complete and will hopefully go to press in 1977.

Diana S. LAUBITZ: My *Dulichia* paper is in press, and I am hoping to get something written on a small collection of Beaufort sea gammarids. I also try to find time for a collection of subantarctic caprellids, of much interest to me.

Gary LEWIS: I began graduate work with John Holsinger in fall 1976 and plan to do thesis research in the systematics of the cave species of *Crangonyx* in the interior low plateau region of the United States.

Don MAURER: Results of an ocean outfall survey in Delaware coastal waters showed the nearshore waters to be dominated by *Acanthohaustorius millsi* and *A. intermedius*, and the midshore habitat by the above two species plus *Parahaustorius attenuatus*, *P. holmesi*, *P. longimerus* and *Protohaustorius wigleyi*. *P. longimerus* was the dominant species in shoal environments.

Clare McBANE: (see also sub CROKER): I am currently studying the ecology of *Hyale nilssoni* on New Hampshire open coastal and estuarine shores. In addition, the coexistence of this species with *H. plumulosa* at Nobska Beach, Massachusetts is being investigated.

... B. RHODES: I have recently collected some specimens of *Ingolfiella* sp. from 4-5 m depth just off the east coast of Florida (Hutchinson Island, 27° 20' N, 80° 12' W). I would like some help in identifying them as they are probably new species. They were collected from a shell hash and sand bottom with a Shipek grab.

Philip B. ROBERTSON: I have recently been involved in studies in the systematics and ecology of haustoriid amphipods in the Gulf of Mexico.

Herman O. SANDERS: I am interested in amphipod culturing in the laboratory, particularly *Gammarus*.

Craig STAUDE: has just completed a two year survey of 5 Puget Sound beaches and is now working on a baseline survey (intertidal – 10m) of the Strait of Juan de Fuca (seaward of Puget Sound).

Les WATLING: My work on the peracarids of the continental shelf off the state of New Jersey is coming along well. Thus far I have identified over 70 species of amphipods, of which there are 13 new species and 1 new genus. Good sediment and other ecological data are being taken by the Virginia Institute of Marine Science and this will be available. Beginning this spring I will be handling the amphipods from a similar study in the George's Bank region, all of which will improve our understanding of amphipod distribution along the east coast of the U.S. considerably.

D.J. WILDISH: From 1st August, 1977, for approximately 1 year, I will be on sabbatical leave in the University of Aberdeen. The address is:
University of Aberdeen
c/o Department in Microbiology
Marischal College
Aberdeen, AB9 1AS
Scotland

The purpose of the visit is to conduct joint experimental work with Dr. N.J. Poole on the ecology of the sediment/water interface and for me to learn some microbial techniques. Of particular interest to us is the "spring effect" macrofauna have on the development of anoxic conditions in sediments. Important in the Bay of Fundy for this are *Pontoporeia femorata* and *Casco bigelowi*.

Not much of my recent work has been concerned with amphipods, although a recent review, now available (Wildish, D.J. "Biased sex ratios in invertebrates", to be published in "Advances in invertebrate reproduction" with other contributions given at the International Symposium on Invertebrate Reproduction held in Kerala, India, 1975 (1977)), and bibliography (Wildish, D.J. "A selected bibliography of invertebrate sex ratio data" Fish. Mar. Serv. Dev. Tech. Rep. 630, 1976, 37 p.), owe their existence to my graduate work interest in sex ratio of *Orchestia* (Talitridae). The review attempts to encourage an experimental interest in the dynamics and demography of sex ratio. Amphipods are excellent subjects for such an attempt and I would welcome correspondence from anyone embarking on such a venture.

MAJOR AMPHIPOD COLLECTIONS

The Amphipod collection of the Zoological Museum Hamburg – Zoologisches Museum der Universität Hamburg – mainly consists of Gammaridea. During the Second World War the whole collection of the Zoological Museum was stored outside. In that way the collection of Amphipoda has been damaged and decimated, too. Today the collection of gammaridean Amphipoda includes 31 families with 369 species. Typematerial is present of 102 species and 11 subspecies.

The species are spread among the following families: Acanthonotozomatidae (8 species), Ampeliscidae (22), Amphilochidae (1), Ampithoidae (5), Atylidae (6), Calliopidae (9), Cheluridae (1), Corophiidae (47), Dexaminidae (5), Eusiridae (25), Gammaridae (68), Haustoriidae (12), Hyaellidae (3), Hyalidae (6), Hyperopsidae (1), Ischyroceridae (8), Leucothoidae (2), Liljeborgiidae (4), Lysianassidae (37), Melphidippidae (1), Oedicerotidae (24), Paramphithoidae (4), Pardaliscidae (4), Phoxocephalidae (10), Pleustidae (9), Podoceridae (9), Sebiidae (1), Stegocephalidae (8), Stenothoidae (11), Synopiidae (1), Talitridae (17). This list is based on nomenclature and systematics according to BARNARD (1958, 1969, 1973), BAZIKALOVA (1945), BULYCHEVA (1957) and GURJANOVA (1951).

The collection of Gammaridea predominantly includes material of European and adjacent seas, the Atlantic, and Lake Baikal. The Material encloses the collections of DYBOWSKI (Lake Baikal 1871), "I. Deutschen Polar-station 1882/1883" (south Georgia), KUKENTHAL (Spitzbergen), MICHAELSEN (Westcoast of Africa, Subantarctic), and last but not least a part of the "Typensammlung G.O. Sars". Furthermore the collection includes material sampled by captains (e.g. HUPFER, KOPHAMEL and PAESSLER). Reviser of the collection was above all SCHELLENBERG.

A paper "Verzeichnis der Typen aus der Sammlung Crustacea der Zoologischen Instituts und Zoologischen Museums der Universität Hamburg. Amphipoda, Gammaridea" (by ANDRES & LOTT) is in press.

LIST OF SUBSCRIBERS

I hope the addresses in this list are reasonably correct; if not, it is mostly my own fault, as I have copied earlier addresses in all cases where I did not receive corrections. Danièle Dumay and Mr. Fearn-Wannan are omitted from the new list, as they are apparently no longer working on amphipods.

Dr. N.J. Alouf
Faculté des Sciences
Université Libanaise
Wadath-Beyrouth 6160
Liban

Dr. Å. Andersson
Naturhistoriska Riksmuseet
Sektionen för Evertebratzoologi
S-104 05 Stockholm 50
Sverige

Dr. H.G. Andres
Zoologisches Institut und Zoologisches
Museum
Universität Hamburg
..on-Melle-Park 10
..000 Hamburg 13
Deutschland

Dr. I. Arimoto
The Museum
Tokyo University of Fisheries
..-5-7 Konan, minato-ku
Tokyo 108
Japan

Dr. J.L. Barnard
Division of Crustacea
National Museum of Natural History
Smithsonian Institution
Washington D.C. 20560
U.S.A.

Dr. Manaf Behbehani
Dept of Zoology
University of Kuwait
Kuwait
The state of Kuwait

Dr. D. Bellan-Santini ♀
Station Marine d'Endoume
Rue de la Batterie-des-Lions
Marseille 7e
France

Dr. J. Berreur-Bonnenfant ♀
Laboratoire de Génétique évolutive et
de Biométrie, C.N.R.S.
91 Gif-S-Yvette
France

Biblioteca
Istituto de Zoologica dell 'Universita
Via Romania 17
50125 Firenze
Italia

Biblioteket
Zoologisk Museum Oslo
Sarsgt.1
Oslo 5
Norge

Dr. M.F. Blanchet ♀
Lab. De Sexualité des Invertébrés
Bâtiment C., Tom 32
Université de Paris VI
75 230 Paris Cedex 05
France

Dr. D.G. Bone
British Antarctic Survey
Monks Wood Experimental Station
Abbots Ripton, Huntingdon
England

Dr. Betty Borowsky ♀
Dept. Biology, City College
City University of New York
New York, NY 10031
U.S.A.

Dr. S. Weldon Bosworth
..mandeau Associates Inc.
.. Mast Road
..chester
.. 03102
U.S.A.

.. B. Bou
.. restole 1, Cambon
.. Albi
France (?)

Dr. E.L. Bousfield
National Museum of Canada
National Museum of Natural Sciences
Ottawa K1A 0M8
Canada

Dr. Th.E. Bowman
National Museum of Natural History
Smithsonian Institution
Washington D.C. 20560
U.S.A.

Dr. P.K. Bregazzi
Biology Department
..tenham College
..S, GL 53 7LD

Dr. B. Brun
Laboratoire de Biologie Animale
Université de Provence
..re de Saint-Jérôme
..13 Marseille
France

Dr. G. Brun
Laboratoire de Biologie Animale
Université de Provence
Rue de Saint-Charles
..Marseille
France

Dr. P. Brunel
Département des Sciences Biologiques
Université de Montréal
C.P. 6128, Montréal (Québec)
Canada

Dr. G.J. Brusca
Department of Biology
Humboldt State College
Arcata Calif. 95521
U.S.A.

Dr. V. Bryazgin
Laboratory of Marine Hydrobiology
Knipovich Polar Institute of Marine
Fisheries and Oceanography
6 Knipovich Street
Murmansk 183063
USSR

Dr. Arthur L. Buikema Jr.
Dept of Biology
Virginia Polytechnic Institute and State
University
Blacksburg, VA 24061
U.S.A.

Dr. H.P. Bulnheim
Biologische Anstalt Helgoland
Palmaille 9, 2000 Hamburg 50
Deutschland (BRD)

Dr. K.H. Bynum
Department of Zoology
University of North Carolina
Chapel Hill, NC 28714
U.S.A.

Dr. Sergei Cărăușu
Facultatea Biologie-Geografie
Laborator de Hidrobiologie
Universitatea Iași
Iași
Romania

Dr. M.C. Carré-Lecuyer ♀
Laboratoire de Génétique évolutive
..
..Gif-sur-Yvette
France

Dr. A. Champeau
Laboratoire de Biologie Animale
Université de Provence
... de Saint-Charles
Marseille
France

Dr. John Chapman
..a Marine Laboratory
.. box 247
..Bay .. .4923
U.S.A.

Dr. H. Charniaux-Cotton ♀
Laboratoire d'Evolution des
..Organisés
..Boulevard Raspail
Paris 6 e
France

Dr. J.R. Chess
..alina Marine Biological Laboratory
... box 398 Avalon
... 90704
U.S.A.

Dr. C. Christophersen
Kristiansand Lærerskole
..600 Kristiansand S
Norge

Dr. Wendy L. Coffin
.. ataqu Marine Lab,
... andeau Associates, Inc.
Pickering Ave.
..smouth, NH 03801
U.S.A.

Dr. N. Coineau ♀
Laboratoire Arago
66650 Banyuls-sur-Mer (P-O)
France

Dr. G.A. Cole
Department of Biology
Arizona State University
Tempe, AZ 85281
U.S.A.

Dr. William J. Cooke
Dept of Zoology, 2538 The Mall
University of Hawaii
Honolulu, HI96822
U.S.A.

Dr. B. Cooper
Fisheries Management Division
Ministry of Agriculture and Fisheries
P.O.Box 2298 Wellington 1
New Zealand

Dr. P.C. Craig
Department of Biology
University of California
Santa Barbara, CA 93106
U.S.A.

Dr. G.I. Crawford
Hall Close Cottage
81 Main Road, Grendon
Northampton NN7 1JW
England

Dr. R.A. Croker
Department of Zoology
University of New Hampshire
Durham, NH 03824
U.S.A.

Dr. D.C. Culver
Department of Biological Sciences
Northwestern University
Evanston, IL 60201
U.S.A.

Dr. M.J. Dadswell
Identification Centre
Biological Station
St. Andrews
..B EOG 2XO
Canada

Dr. E. Dahl
Biologiska Institutionen
..
..862
..
Sverige

Dr. C. De Broyer
Institut Royal des Sciences
Bruxelles
..autier 31
Bruxelles
Belgique

Dr. D. Denay ♀
.. de Sexualité des Invertébrés
..ment C
..32 Université de Paris VI
..O Paris Cedex VI
France

Dr. Hank Dennert
...makerstr 18
..erkerk/Amstel
Holland

Dr. Gary W. Dickson
..a del Rio Apt 1
Cross Creek Place
..ns (G 30601
U.S.A.

Dr. D.M. Dexter ♀
Institute of Marine Sciences
University of North Carolina
..thead City NC .. ?
U.S.A.

Dr. Jan Dieleman
Inst. voor Taxonomische Zoologie
Pl. Middenlaan 53
Amsterdam
Holland

Dr. J. Dorgelo
Laboratory of Animal Physiology
University of Amsterdam
Kruislaan 320
Amsterdam
Holland

Dr. M.M. Drummond ♀
Victorian Fisheries Department
605 Flinders Street Extension
Melbourne, Victoria 3000
Australia

Dr. M.J. Dunbar
Marine Sciences Centre
McGill University
P.O. Box 6070 Montreal 101
Quebec H3A 2K6
Canada

Dr. K.W. Duncan
Department of Zoology
University of Canterbury
Christchurch
New Zealand

Dr. A Eleftheriou
Marine Laboratory, P.O.box 101
Victoria Road, Torry
Aberdeen
Scotland

Dr. R. Elofsson
Zoologiska Institutionen
Lund
S-22326
Sverige

Dr. A.M. Escofet ♀
Instituto de Biologia Marina
...illa de Correo 175,
..aya Grande
Mar del Plata
Argentina

Dr. F. Evans
...e Marine Laboratory
...rcoats
...elds, Northumberland
England

Dr. Farrell
Department of Oceanography
Florida State University
Tallahassee, FL 32306
U.S.A.

Dr. A.A. Finchman
British Museum (Natural History)
Cromwell Road
London SW7 5BD
England

Dr. .. D. Fish
Department of Zoology
University College of Wales
..ais
...ystwyth
Wales

Dr. Bror Forsman
..mansgata 4
.. 8100 Kalmar
Sverige

Dr. Richard S. Fox
Department of Biology
...r College
...wood, SC 29646
U.S.A.

Dr. Ulrich Franke
Teggingerstr. 1
D-7760 Radolfzell
BRD

Dr. Mitsuo Fukuchi
National Institute of Polar Research
q-10, Kaga 1-Chome
Itabaschi-ku
Tokyo 173
Japan

Dr. J. Gilbert ♀
Université Cl. Bernard (Lyon I)
Biologie Souterraine
43. Boulevard du 11. nov. 1918
F-69 Villeurbanne
France

Dr. R. Ginet
Université Cl. Bernard (Lyon I)
Biologie Souterraine
43. Boulevard du 11. nov. 1918
F-69 Villeurbanne
France

Dr. Thomas Ginsburger-Vogel
Laboratoire de Génétique évolutive
CNRS
91 Gif-sur-Yvette
France

Dr. T. Gledhill
Freshwater Biological Association
The River Laboratory
East Stoke
Wareham (Dorset)
England

Dr. Thomas Glennon
Normandeau Assoc.
15 Pickering Str
Portsmouth, NH 03801
U.S.A.

Dr. Tom Glennon Jr.
14 Cimmaron Dr.
Apt D15
Peabrook, NH 03874
U.S.A.

Dr. A.M.C. Goedmakers ♀
Institute of Animal Taxonomy
Plantage Middenlaan 53
Amsterdam
Holland

Dr. Exequiel Gonzalez
Laboratoria de Zoologia
Universidad Catolica de Chile
Casilla 114-D
Santiago
Chile

Dr. F. Graf
Laboratoire de Biologie Générale
..Boulevard Gabriel
... -Dijon
France

Dr. I.I. Greze ♀
Institute of Biology of South Seas
Academy of Sciences USSR
... Nahimov Str.
Sevastopol
USSR

Dr. C.L. Griffiths
Biology Department
University of Cape Town
Rondebosch
Cape Town
South Africa

Dr. H.E. Gruner
Biological Museum
Invalidenstrasse 43
..4 Berlin
Deutschland (DDR)

Dr. E.F. Gurjanova ♀
Zoological Institute
Academy of Sciences USSR
V-164 Leningrad
USSR

Dr. Richard P. Hager
Division of Natural Sciences
Stockton State College
Pomona, NJ 08240
U.S.A.

Dr. Eiji Harada
Seto Marine Biological Laboratory
Sirahama
Wakayama-ken
Japan

Dr. B.T. Hargrave
Marine Ecology Laboratory
Bedford Institute
Dartmouth NS
Canada

Dr. Richard W. Heard
Gulf Coast Research Laboratory
P.O. Box AG
Ocean Springs, MS 39564
U.S.A.

Dr. Robert R. Hessler
Scripps Institution of Oceanography
P.O. Box 1529
La Jolla, CA 92037
U.S.A.

Dr. Yoshiako Hirano
Mukaishima-cho
Onomishi P.O.
Hiroshima-ken
Japan

Dr. J.F. Holland
Belle W. Baruch Coastal Research
Institute
University of South Carolina
Columbia, SC 29208
U.S.A.

Dr. John R. Holsinger
School of Biological Sciences
Old Dominion University
Norfolk, VA 23508
U.S.A.

Dr. L.B. Holthuis
Rijksmuseum van Natuurlijke
Historie, Raamsteeg 2
Leiden
Holland

Dr. K. Hoshide
Zoological Institute
Hokkaido University
...oro
Japan

Dr. J.O. Howard
..away Institute of Oceanography
University System of Georgia
..West Bluff Road
Savannah, GA 31406
U.S.A.

Dr. Jeff Hughes
Institute of Oceanography
University of Washington
Sattle, WA 98195
U.S.A.

Dr. D. Hurley
New Zealand Oceanographic Institute
P.O.Box 8009
Wellington
New Zealand

Dr. S. Husmann
Limnologische Fluszstation
6407 Schlitz
Deutschland (BRD)

Dr. R. Husson
Laboratoire de Biologie animale et
générale
Faculté des Sciences
Université de Dijon
Boulevard Gabriel
Dijon
France

Dr. H.B.N. Hynes
Department of Biology
University of Waterloo
Waterloo (Ontario)
Canada

Dr. R.W. Ingle
British Museum (Natural History)
Department of Zoology
Cromwell Road
London SW 7
England

Dr. Camilla L. Ingram
3227 Charleton Street
San Diego, CA 92108
U.S.A.

Dr. Hisao Inoue
Yasato Senior High School
Yasato-machi, Niihari-gun
Ibaraki-ken
Japan

Dr. H. Irie
Faculty of Fisheries
Nagasaki University
Bunkyo-machi 1-14
Nagasaki
Japan

Dr. A. V. Jankowski
Zoological Institute
Academy of Sciences USSR
V-164 Leningrad
USSR

Dr. K. Jazdzewski
Uniwersytet Łódzki
Dokład Zoological Ogólnej
Insytutu Bontaniki I Zoologii
... Nowopoludniowa 12-16
Łódz
Poland

Dr. S.E. Johnson
...e Wetlands Institute
Box 91
Stone Harbour, NJ 08247
U.S.A.

Dr. I Jones
Department of Biology
California State College
Long Beach, CA 90840
U.S.A.

Dr. M.B. Jones
Dept of Zoology
University of Canterbury
Private Bag
Christchurch
New Zealand

Dr. N.S. Jones
Marine Biological Station
Port Erin
Isle of Man
England

Dr. Peter Jumars
Dept of Oceanography
...3-10 University of Washington
Seattle, WA 98195
U.S.A.

Dr. H. Junéra
Laboratoire Sexualité et Reproduction
des Invertébrés
4, Place Jussieu
Bat. G-Tour 32
75230 Paris Cedex 05
France

Dr. J. Just
Universitetets Zoologiske Museum
Universitetsparken 15
DK-2100 København Ø
Danmark

Dr. R. Kaim-Malka
Station Marine d'Endoume
Rue de la Batteries-des-Lions
Marseille 7e
France

Dr. V. Kaneva-Abadieva
Institut Central de Recherches
Scientifiques sur la Pisciculture et la
Pêche
Varna
Bulgaria

♀

♀

♀

Dr. Yuki Yoshi Kanihira
Lab. Of Planktology
Faculty of Fisheries
Hokkaido University
Hakodate
Hokkaido 040
Japan

Dr. E. Kanneworff
Marinbiologisk Laboratorium
Grønnehave
Helsingør
Danmark

Dr. G. Karaman
P.O. Box 40
Titograd
Yugoslavia

Dr. Donald E. Keith
Depth of Biological Science
Carleton State University
Stephenville
TX 76402
USA

Dr. Kenneth A. Kimball
.. Sagamore Road
... NH 03870
USA

Dr. Ahmet Kocatas
...Universitesi
Fen Fakultesi
...el Zooloji Kürsüsü
..nova
Izmir
Turkey

Dr. Kowalevsky
Institute of Biology of the South
Seas, Academy of Sciences USSR
..Nahimov Str
Sevastopol
USSR

Dr. G. Krapp-Schickel ♀
Zoologisches Forschungsinstitut
Museum Alexander König
Adenauerallee 150-164
Bonn 1
Deutschland (BRD)

Dr. V. A. Kudrjaschov
Far East University
Zoological Faculty
Institute of Hydrobiology and
Ichthyology
Vladivostok 10
USSR

Dr. P.-J. Labourg
Station Biologique d'Arcachon
2, Rue du professeur Jolyet
Arcachon (Gironde)
France

Dr. J.-P. Legardère
Station Marine d'Endoume
Antenne de la Rochelle-C.R.E. O.
Allée des Tamaris
17 la Rochelle
France

Dr. P. Lambert
Marine Biology Division Library
British Columbia Provincial Museum
Victoria B.C.
Canada

Dr. D. R. Laubitz ♀
National Museum of Natural Sciences
National Museum of Canada
Ottawa
Ontario K1A 0M8
Canada

Dr. Ph. Laval
Station Zoologique
06 Villefranche-sur-Mer
France

Dr. M. Ledoyer
Station Marine d'Endoume
Rue de la Batterie-des-Lions
13 Marseille 7e
France

Dr. Yuk-maan Leung
1102 ½ S. Westmoreland Ave
Los Angeles, CA 90006
USA

Dr. C. D. Levings
Fisheries Research Board of Canada
Pacific Environment Institute
4160 Marine Drive
West Vancouver B.C.
Canada

Dr. George D. Lewbel
Scripps Institution of Oceanography
P.O. Box 1529
La Jolla, CA 92037
USA

Dr. Jerry Lewis
Dept Biological Sciences
Old Dominion University
Norfolk, VA 23508
USA

The Librarian
N.Z. Oceanographic Institute
P.O. Box 12346
Wellington North
New Zealand

The Library
Gulf Coast Research Lab
Clean Spring, Mississippi 39564
USA

The Library
Moss Landing Marine Laboratories
P.O. Box 223
Moss Landing, CA 95039
USA

The Library
...sensiel School of
Marine/Atmospheric Sciences
...00 Rickenbacker Causeway
Miami, FL 33149
USA

Physical Sciences Library
..0 University Street
Montreal
Quebec H3C 3G
Canada

Dr. R. Lincoln
British Museum (Natural History)
Division of Crustacea
Cromwell Road
London SW 7
England

Dr. A.P.M. Lockwood
Department of Oceanography
The University
Southampton
England

Dr. James K. Lowry
Curator Crustacea
The Australian Museum
6-8 College Street
Sydney 2000
Australia

Dr. C. Macquart-Moulin
Faculté des Sciences Naturelles
Hydrobiologie Marine
Route Léon
Lechamp-Luminy
Marseilles 9e
France

Dr. L.P. Madin
Zoology Department
University of California
Davis, CA 95616
USA

Dr. Marion J. van Maren ♀
c/o Institute of Animal Taxonomy
Zoologisch Museum
Pl. Middenlaan 53
Amsterdam
Holland (see p 59)

Dr. R: Margulis ♀
Zoological Faculty
Moscow State University
Moscow
USSR

Dr. A. Mateus
Instituto de Zoologia
... Augusto Nobre
Universidade de Porto
Porto
Portugal

Dr. E. de Oliveira Mateus ♀
Instituto de Zoologica
.. Augusto Nobre
Universidade de Porto
Porto
Portugal

Dr. Jack Mathias
Department of the Environment
..shwater Institute
..University Crescent
Winnipeg Manitoba
R3T 2N6
Canada

Dr J. Mathieu
Université Claude Bernard
Department de Biologie Animale et
..logie
Biologie Souterraine
... Bd. Du 11 November 1918
..69 Villeurbanne
France

Dr. H. Matsudo
..Joseph Hospital
St Alameda & S Buena Vista
Boulevard, Burbank (CA?)
USA

Dr. D. Maurer
University of Delaware
College of Marine Studies
Field Station
.. DE 19958
USA

Dr. Clare McBane ♀
Zoology Dept.
Spaulding Life Science Building
University of New Hampshire
Durham, NH 03824
USA

Dr. J.C. McCain
Environmental Department
Hawaiian Electric Company
P.O. Box 2750
Honolulu, HI 96803
USA

Dr. David McGrath
Dept of Zoology
University College
Galway
Eire

Dr. Larry McKinny
Biology Dept
Texas A&M University
College Station, TX 77843
USA

Dr. D. McLusky
Department of Biology
University of Stirling
Stirling
Scotland

Dr. Jean-Jaques Meusy
Université Pierre et Marie Curie
Laboratoire de sexualité et
reproduction des Invertébrés
Bat. A
4 Place Jussieu
75230 Paris Cedex 05
France

Dr. M.P.D. Meyering
Limnologische Fluszstation
6407 Schlitz
Deutschland (BRD)

Dr. A.D. Michael
Marine Biological Laboratory
Woods Hole, MA 02543
USA

Dr. A. Mills
Department of Zoology
The University College of Wales
..englais
Aberyswyth
Wales

Dr. Eric L. Mills
Institute of Oceanography
Dalhousie University
Halifax
Nova Scotia
Canada

Dr. J.L. Mohr
Department of Biological Sciences
University of Southern California
University Park
Los Angeles, CA 90007
USA

Dr. Th. Monod
Muséum National d'Histoire Naturelle
Pêches Outre-Mer 57
..e Cuvier
Paris 5e
France

Dr. P.G. Moore
University Marine Biological Station
Isle of Cumbræ
..llport
Scotland

Dr. Christiane Morand
..S.A.I.A.
...bis rue Ste Catherine
..64000 Nancy
France

Dr. Ph.D. Morduckhai-Boltovski
Institute of Biology of Inland Waters
Academy of Sciences USSR
Kuibyshev
USSR

Dr. Hiroshi Morino
Dept of Biology
Ibaraki University
Mito 310
Japan

Dr. Yashuiro Morioka
Japan Sea Regional Fisheries Research
Lab
Nishifunami-cho
Niigata 951
Japan

Dr. A. Myers
Department of Zoology
University College
Cork
Eire

Dr. Brad Myers
Southern California Coastal Water
Project Research
1500 East Imperial Highway
El Segundo, CA 90245
USA

Dr. Kizo Nagata
Nasei Regional Fisheries Research
Laboratory
6-1-21 Sanbashi-dori
Kochi 780
Japan

Dr. K.K. Chandrasekharan Nair
Indian Ocean Biological Centre
P.B. No 13
Pullenpady Cross Road
Ernakulam (Cochin 16)
India

Dr. Walter G. Nelson
Duke University Marine Laboratory
Beaufort NC 28516
USA

♀

Dr. T. Nemoto
Japan Research Institute
University of Tokyo, 15-1
..home
..amidai, Nakano
Tokyo
Japan

New Zealand Oceanographic Institute
..S.I.R.
P.O. Box 8009
Wellington
New Zealand

Dr. A.M. Nocentini ♀
Istituto Italiano de Idro-Zoologia
28048 Pallanza
..ovara
Italia

Dr. W. Noodt
Zoologisches Institut der Universität
Hegewischstr. 3
...Kiel
Deutschland (BRD)

Dr. R. Oleröd
Naturhistoriska Riksmuseet
Sektion för Evertbratzzoologi
SE-104 05 Stockholm
Sverige

Dr. Manole Ortiz
Centre de Investigaciones Marina
..e 17a
..2808 Miramar
..Habana
Cuba

Dr. Henry M. Page
85 Tecolote Ave
Goleta, CA 93017
USA

Dr. L. Pardi
Istituto de Zoologia
Universita di Firenze
Firenze
Italia

Dr. H.G. Pieper
Limnologische Flusstation
6407 Schlitz
Deutschland (BRD)

Dr. S. Pinkster
Institute of Animal Taxonomy
Zoologisch Museum
Pl. Middenlaan 53
Amsterdam
Holland

Dr. M. Pljakić ♀
Institut za Zoologiju
Prirodno-Matematički Fakultet
Studentski TRG 31II
11000 Beograd
Yugoslavia

Dr. G. S. Preece
Lansing College
Sussex
England

Dr. P. Rabindranath
Department of Zoology
N.S.S. College
Changanacherry 2 (Kerala)
India

Dr. S. Rakusa-Suszczewski
Department of Bioenergetics and
Bioproductivity
Nencki
Institute of Experimental Biology
Pasteura 3
Warszawa
Poland

Dr. L. J. Rees
University College North Wales
...rine Science Laboratories
...nai Bridge (Anglesey)
Wales


Dr. R. Repelin
Centre ORSTCM
..uméa
..ouvelle Calédonie

Dr. J.L. Reygrobellet
Université Claude Bernard
Département de Biologie Animale
Inst Zoologie Biologie Souterraine
.. Bd du 11 Novembre 1918
..69 Villeurbanne
France

Dr. W. B. Rhodes
..91 New Peachtree Rd.
..ite 115
Atlanta, GA 30340
USA

Dr. Phillip Robertson
Dpt. Biology
..nar University
P.O. Box 10037
Beaumont, TX 77710
USA

Dr. A. -L. Roux
Université Cl. Bernard (Lyon I)
Département de Biologie Animale et
Zoologie
F-69 Villeurbanne
France

Dr. C. Roux 
Université Cl. Bernard (Lyon I)
Département de Biologie Animale et
Zoologie
F-69 Villeurbanne
France


Dr. S. Ruffo
Museo Civico de Storia Naturale
Lungadige Porto Vitoria 9
I-37100 Verona
Italia

Dr. B. Rygg
N.I.V.A.
Gaustadalléen 25
Blindern
Oslo 3
Norge

Dr. H. O. Sanders
Fish-Pesticide Research Laboratory
Bureau of Sport Fisheries and Wildlife
Columbia, MO 65201
USA

Dr. J.M. Sanderson
Department of Natural History
The Royal Scottish Museum
Edinburgh 1
Scotland

Dr. Y. Saudray
Laboratoire d'Ecologie Marine et de la
Biologie Marine
Boulevard Michelet
44 Nantes
France

Dr. Felicità Scapini 
Istituto de Zoologia dell'Università
Via Romana 17
I-50125 Firenze
Italia

Dr. U. Schiecke
..Zoologisches Institut der Universität
Schloßgarten 12
.. Kiel
Deutschland (BRD)

Dr. John K. Scott
... Environmental Protection Agency
Environmental Research...
Narragansett, RI 02882
USA

Dr. Scott W. Gray
..2 Kenilworth Avenue
Springfield VA22151
USA

Dr. S.G. Segerstråle
Institute of Marine Research
Zoological Laboratory
Bolevardi 9a
Helsinki 12
Finland

Dr. Hitoshi Semura
Dept. of Planktology
Faculty of Fisheries
Hokkaido University
Sapporo
Hokkaido 040
Japan

Dr. N. Serban ♀
Institut za Zoologiju
Prirodno-Matematički Fakultet
Studentski TRG 3 / II
11000 Beograd
Yugoslavia

Dr. M. Shearer
Marine Laboratory
Plymouth
North Shields
Northumberland
England

Dr. Chang-Tai Shih
National Museum of Natural Sciences
Canadian Oceanographic Identification
Centre
Ottawa
Canada

Dr. R. Schillaker
University Marine Biological Station
Millport
Isle of Cumbrae KA 28 OEG
Scotland

Dr. K. Shyamasundari ♀
Department of Zoology
Andhra University
Waltair
India

Dr. T. E. Sivaprakasam
Zoological Survey of India
Southern Regional Station
Mylapore (Madras 4)
India

Dr. A. Skalski
Museum w Częstochowie
Częstochowa
Poland

Dr. B. Sket
Institut za Biologija Univerze
Askerceva 12
SI-1000 Ljubljana
Yugoslavia

Dr. P.N. Slattery
Moss Landing Marine Laboratories
P.O. Box 223
Moss Landing, CA 95039
USA

Dr. S. Sidney Slocum
Dept. of Zoology
University of North Carolina
Chapel Hill, NC 27514
USA

Dr. D. H. Steele
Department of Zoology
Memorial University of Newfoundland
St. John's, Newfoundland
Canada

Dr. V.J. Steele ♀
Department of Zoology
Memorial University of Newfoundland
St. John's, Newfoundland
Canada

Dr. J. H. Stock
Institute of Animal Taxonomy
Zoologisch Museum
Pl. Middenlaan 53
Amsterdam
Holland

Dr. M. Straškraba
Hydrobiologická Laborator
Kavčeva 17
Praha 5
Czechoslovakia

Dr. S. Sudara
Department of Marine Sciences
..ulalongkorn University
Bangkok
Thailand

Dr. D. W. Sutcliffe
Fresh Water Biological Association
The Ferry House
..r Sawry
..bleside
stmorland
England

Dr. H. Tamura
Department of Biology
Ibaraki University
Mito 310
Japan

Dr. Akira Taniguchi
Laboratory of Oceanography
Faculty of Agriculture
Tohoku University
Sendai 980
Japan

Dr. Ester Taramelli ♀
Istituto di Zoologia
Viale dell'Università 32
00100 Roma
Italia

Dr. W. Teichmann
Limnologische Fluszstation
6407 Schlitz
Deutschland (BRD)

Dr. Dang ngoc Thanh
Chaire de Zoologie Invertébreée
Faculté de Biologie
Université de Hanoi
Hanoi
Vietnam

Dr. Kris W. Thoenke
Dept of Biology
Univ of South Florida
Tampa, FL 33620
USA

Dr. James D. Thomas
Newfound Harbour Marine Institute
Rt. 1 Box 170
Big Pine Key, FL 33043
USA

Dr. Michael Thurston
Institute of Oceanographic Sciences
Wormley
Godalming
Surrey
England

Dr. E. Tibaldi
Laboratoria di Zoologia
.. 'Università
.. Celoria 10
20133 Milano
Italia

Dr. Marie-José Turquin ♀
Université Calude Bernard
Departement de Biologie Animale et
Zoologie
Biologie Souterraine
..43 Bd. Du 11 Novembre
F-69621 Villeurbanne
France

Dr. N. Tzvetkova ♀
Zoological Institute
Academy of Sciences USSR
..164 Leningrad
USSR

Dr. Wim Vader
Tromsø Museum
9000 Tromsø
Norge

Dr. Carlos S. Varela
Instituto de Zoologia
Universidad Austral de Chile
Valdivia
Chile

Dr. S. V. Vassilenko ♀
Zoological Institute
Academy of Sciences USSR
..164 Leningrad
USSR

Dr. A Vigna-Taglianti
Istituto de Zoologia dell'Universita
Viale dell'Universita 32
I-00100 Roma
Italia

Dr. M. Vincent
Laboratoire de Biologie Animale
Faculté des Sciences
Limoges
France

Dr. Les Watling
Dept of Oceanography
Univ of Maine at Orono
Wadpole, ME 04573
USA

Dr. A. M. Wenner
University of California Santa Barbara
Department of Biological Sciences
Santa Barbara, CA 93106
USA

Dr. D. J. Wildish
Biological Station
St. Andrews

N.B. EOG 2XO
Canada

Temporary addr. (1 aug. 1977-mid
1978)
University of Aberdeen
c/o Dept of Microbiology
Marinchal College
Aberdeen AB9 1A5
Scotland

Dr. Adele Williams ♀
Dept of Zoology
University of Bristol
..odland Road
Bristol
England
Dr. C. Zerbib
Lab. De Sexualité des Invertébrés
..atiment C.
..m 32
Université de Paris VI
..230 Paris Cedex 05
France

Dr. Brenton Knott
Dept of Zoology
The University of Western Australia
Nedlands
W.A. 6009
Australia

BIBLIOGRAPHY

The review of Tzvetkova's book has to be postponed once more. Mike Thurston's review of Charles Griffith's book on S. African amphipods appears elsewhere in this issue.

Claude De Broyer and Jan Stock have again assisted by sending references, and, starting from this issue, Iraida Greze has sent lists of recent Russian papers, a very welcome addition. I am still waiting for offers to help me with "subterranean literature", Japanese and South American national journals, and the C.R. Acad. Sci Paris, all of which are of difficult access to me.

BIBLIOGRAPHY I

- ABOLMASOVA, G. I., 1975 (The Black Sea amphipod *Gammarus olivii* i dependance of food intake per day on body weight). ____ *Biologiya Morya*, Vladivostok 5, 45-48. (In Russian)
- ANGER, K. & C. VALENTIN, 1976. In situ studies on the diurnal activity pattern of *Diastylis rathkei* (Cumacea, Crustacea) and its importance for the "hyperbenthos". ____ *Helgol. wiss. Meeresuntersu* 28, 138-144. (An important paper because of its critique of the methods commonly used in studies of hyperbenthic animals).
- ARAMANT, R. & R. ELOFSSON, 1976. Monoaminergic neurons in the nervous systems of Crustaceans. ____ *Cell. Tiss. Res.* 170, 231-251.
- BARNARD, J. L., 1976. Amphipoda (Crustacea) from the Indo-Pacific tropics. A review. ____ *Micronesia* 12, 169-181.
- BARNARD, J. L., 1976. Affinities of *Paraniphargus lelouparum* Monod, a blind anchialine amphipod (Crustacea) from the Galapagos islands. ____ *Proc. biol. Soc. Wash* 89, 421-432. (Transferred to the new genus *Galapsiellus*, which the author considers to be an apomorphic melitid with phreatiform adaptations, derived from a form near *Eriopisa*)
- BARNARD, J. L. & E. SCHULENBERGER, 1976. Clarification of the abyssal amphipod, *Paralicella tenuipes* Chevreux. ____ *Crustaceana* 31, 267-274. (With a redescription of this species and a key to *Paralicella* species. *Alicella scotia* belongs in *Eurythenes*.)
- BAZIKALOVA, A. Ya., 1975. (On the taxonomy of Baikal amphipods.) ____ *Trudy limnol. Inst. Sibirs. Otdel. Akad. Nauk. SSSR* 18 (38), 31-81. (In Russian, not seen. Deals with the genera *Carcinogammarus*, *Eucarinogammarus*, *Echiuropus*, & *Asprogammarus* n. gen., and with 2 subgenera of *Echiuropus* and *Smaragdogammarus*. Keys and diagnoses of 7 nov. spp. And 3 nov. ssp. are given).
- BAZIKALOVA, A. Ya., 1975. (New amphipods of Lake Baikal). ____ *Trudy limnol. Inst Sibirs. Otdel. Akad. Nauk SSSR* 18 (38), 81-92. (In Russian, not seen. *Kozhinova* n. gen., and 6 new spp and ssp in the genera *Eulimnogammarus*, *Macropereiopus*, *Plesiogammarus* & *Homocerisca*).
- BENDER, J.A., 1975. Trace metal levels in beach dipterans and amphipods. ____ *Bull. environm. Contam, Toxicol.* 14, 187-192. (Not seen)
- BETHEL, W. M. & J. C. HOLMES. Increased vulnerability of amphipods to predation owing to altered behaviour induced by larval acanthocephalans. ____ *Can. J. Zool.* 55, 110-115.
- BLANCHET, M. F., H. JUNERA & J.-J. MEUSY, 1975. Mue et vitellonénese chez *Orchestia gammarella* Pallas (Crustacé Amphipode): etude de la fraction proteique femelle après introduction d'ecdysterone. ____ *Experientia* 31, 865-867.

BOESCH, D.F., R.J. DIAZ & R. W. VIRNSTEIN, 1976. Effects of tropical storm Agnes on soft-bottom macrobenthic communities of the James and York estuaries and the lower Chesapeake Bay. ____ Chesapeake Sci. 17, 246-259.

BULNHEIM, H.-P., 1976. *Gammarus tigrinus*, ein neues Faunenelement der Ostseeförde Schlei. ____ Schr. naturw. Ver. Schelsw.-Holst. 46, 79-84.

BUSHUEVA, I.V., 1975. (On the ecology of the amphipod *Paramoera walker* in the Davis Sea (Eastern Antarctic)). ____ Sbornik, Biologija Shelfa' tesisy dokladov vsesoyusnoi konferentsii, Vladivostok, 21-22. (In Russian, not seen. Equation of weight to body length: $W=0,0024 * L^{2,735}$.)

COLE, G. A. & R. L. WATKINS, 1977. *Hyaella montezumae*, a new species (Crustacea: Amphipoda) from Montezuma Well, Arizona. ____ Hydrobiologia 52, 175-184.

CROISILLE, Y., H. JUNERA, J.-J. MEUSY & H. CHARNIAUX-COTTON, 1974. The female-specific protein (vitellogenic protein) in Crustacea with particular reference to *Orchestia gammarella* (Amphipoda). ____ Am. Zool. 14, 1219-1229.

CUSHING, D. H. & R. R. DICKSON, 1976. The biological response in the sea to climatic changes. ____ Adv. mar. Biol. 14, 1-122 (An important review)

DABROWSKI, K. & J. GLOCOWSKI, 1977. Studies on the proteolytic enzymes of invertebrates constituting fish food. ____ Hydrobiologia 52, 171-174. (i.a. *Gammarus pulex*).

DÖRJES, J., 1976. Primärgefüge, Bioturbation und Makrofauna als Indikatoren des Sandversatzes im Seegebiet vor Norderney (nordsee). 2. Zonierung und Verteilung der Makrofauna. ____ Senckenbergiana marit. 8, 171-188.

DULEPOV, V.I. & N.A. ORLOVA, 1975. (Biology of mass species of beach fleas (Crustacea, Amphipoda) from Kunashir Island (Kurile Islands).) ____ Sbornik "Modelirovanie biologicheskikh sooloshchestv", Vladivostok, 98-116. (In Russian, not seen. Deals with *Orchestia ochotensis*, *Talorchestia crassicornis*, and *Orchestiodes trinitatis* from Lake Lagunnae and the supralittoral of Kunashir Straits.)

ELOFSSON, R., 1976. Rhabdom adaptation and its phylogenetic significance. ____ Zool. Scripta 5, 97-101.

FENWICK, G. D., 1976. The effect of wave exposure on the amphipod fauna of the alga *Caulerpa browni*. ____ J. exp. mar. Biol. Ecol. 25, 1-18. (Not seen)

GABLE, M.F. & R. A. CROKER, 1977. The salt marsh amphipod, *Gammarus palustris* Bousfield, 1969 at the northern limit of its distribution. 1. Ecology and its life cycle. ____ Estuar. coast. mar. Sci. 5, 123-134.

GINET, R. 1976. Troisième colloque international sur les genres *Niphargus* et *Gammarus*, Schlitz (R. F. d'Allemagne), 1975. Compte rendu de travail du groupe pour la systématique de *Niphargus*. ____ Ann. Speleol. 31, 271-272.

GINSBURGER-VOGEL, T. & M. C. CARRÉ-LECUYER, 1976. Transmission expérimentale d'un facteur responsable de l'intersexualité des males chez *Orchestia gammarellus* (Pallas). ____ *Experientia* 32, 1161-1162.

GINSBURGER-VOGEL, T., T. DESPORTES & C. ZERIB, 1976. Présence chez l'Amphipode *Orchestia gammarellus* (Pallas) d'un Protiste parasite, ses affinités avec *Marteilia refringens* agent de l'épizootie de l'Huitre plate. ____ *C. R. Acad. Sci. Paris* 283 D, 939-942.

GOSS-CUSTARD, J. D., 1977. The energetics of prey selection by Redshank, *Tringa totalus* (L.) in relation to prey density. ____ *J. Anim. Ecol.* 46, 1-19.

GOSS-CUSTARD, J. D., 1977. Predator responses and prey mortality in Redshank, *Tringa totalus* (L.) and a preferred prey, *Coropium volutator* (Pallas). ____ *J. Anim. Ecol.* 46, 21-35.

GUGLIELMO, L., L. COSTANZO & A. BERDOS, 1973. (Final contribution to the knowledge of the Crustacea washed ashore along the Sicilian coast of the Straits of Messina). ____ *Atti Soc. Peloritana, Scienze Fis. Mat. e Nat.* 19, 129-156 (i.a. 13 species of Hyperidea. In Italian)

HAAGE, P., 1976. Quantitative investigations of Baltic Fucus belt macrofauna 3. Seasonal variation in biomass, reproduction and population dynamics of the dominant taxa. ____ *Contrib. Askö Lab. Univ. Stockholm* 10, 1-84 (Not seen, unfortunately)

HAMNER, W.M., L.P. MADIN, A.L. ALLDREDGE, R.W. GILMER & P. P. HAMNER, 1975. Underwater observation of gelatinous zooplankton: sampling problems, feeding biology and behavior. ____ *Limnol. Oceanogr.* 20, 907-917.

IAZLETT, A. & R. SEED, 1976. A study of *Fucus spiralis* and its associated fauna in Strangford Lough, Co. Down. ____ *Proc. R. Irish Acad.* 76 B, 607-618.

INTERNATIONAL ATOMIC ENERGY AGENCY VIENNA (AUSTRIA), 1976. Effects of ionizing radiation on aquatic organisms and ecosystems. ____ *Tech. Rep. Ser. IAEA* 172, 1-131.

ISAACS, J. D. & R. A. SCHWARTZLOSE, 1975. Active animals of the deep-sea floor. ____ *Scient. American* 233, 85-91 (Not seen)

JAŹDŹEWSKI, K. & A. W. SKALSKI, 1976. (3^d International Colloquium on *Gammarus* and *Niphargus* and 1st International Symposium on Groundwater Ecology.) ____ *Przegląd Zool.* 20, 464-467 (In Polish, with many photographs of amphipodologists)

JENSEN, K. & K. F. JØRGENSEN, 1977. Notes on four crustaceans from Danish water. ____ *Biokon Rep.* 3, 1-18 (i.a. *Melita palmata*, and *Microdeutopus gryllotalpa*)

JUMARS, P.A. & R. R. HESSLER, 1976. Hadal community structure: implications for the Aleutian trench. ____ *J. mar. Res.* 34, 547-560. (Not seen)

JUST, J., 1976. On the marine genus *Menigratopsis* Dahl, 1945, from North Atlantic and Arctic waters (Crustacea, Amphipoda, Lysianassidae). ____ *Astarte* 9, 1-12.

KARAMAN, G.S., 1976. '71 Contribution to the knowledge of the Amphipoda. Two *Niphargus* species from Crna Gora, *N. pavicevici* n.sp. and *N. evijici* S. Karaman, 1950 (Fam. Gammaridae). ____ *Glas. Republ. Zavoda Zast. Prirode-Prirodnjackog Muzeja Titograd* 9, 21-30.

KARAMAN, G.S., 1975. '73 Contribution to the knowledge of Amphipoda. Three *Niphargus* species from Yugoslavia and Italy, *N. ambulatory* n.sp., *N. pupetta* (Sket) and *N. transitivus* Sket (fam. Gammaridae). ____ *Poljoprivreda i Sumarstvo* 21, 13-34.

KARAMAN, G.S., 1976. Contribution to the knowledge of the Amphipoda 75. Description of one new species of the genus *Gammarus* (family Gammaridae) from the Ohrid Lake, *G. stankokaramani* n.sp. ____ *Poljoprivreda i Sumarstvo* 22, 87-96.

KARAMAN, G.S., 1976. Contribution to the knowledge of the Amphipoda 76. *Gammarus macedonicus* n. sp., one new species from Ohrid Lake. ____ *Posebno Izdonic. Mus. Macedonici Scient. nat.* 7, 71-79.

KAY, D.G. & R. D. KNIGHTS, 1977. The macro-invertebrate fauna of the intertidal soft sediments of south-east England. ____ *J. mar. biol. Ass. U.K.* 55, 811-832.

KENNEDY, C.R. & A. RUMPUS, 1977. Long-term changes in the size of the *Pomphorynchus laevis* (Acantocephala) population in the river Avon. ____ *J. Fish. Biol.* 10, 35-42

KOCATAS, A., 1976. Note preliminaire sur les amphipodes recueillis dans les horizons supérieurs de l'étage infralittoral rocheux du Golfe d'Izmir (Turquie). ____ *Tethys* 7 (1975), 235-240. (Not seen)

KOCATAS, A., 1976. Note sur le peuplement à *Cystoseira* crinite Bary dans le Golfe d'Izmir (Turquie). ____ *Tethys* 7 (1975), 241-248. (Not seen)

LAVAL, Ph. & P. LECHER, 1975. Caryotypes, chromosomes surnuméraires, parthenogenèse rudimentaire et polyploïdie chez deux espèces du genre *Phromina* (Crustacés, Amphipodes). ____ *Can. J. Genet. Cytol.* 17, 405-412.

LEDOYER, M., 1975. Les peuplements benthiques des fonds de Baie et les grands aspects boinamiques de la Baie des Chaleurs. ____ *Trav. Pêcheries Quebec* 43, 1-33.

LEMICHE, H., B. HANSEN, F. JENSENIUS MADSEN, O.S. TENDAL & T. WOLF, 1976. Hadal life as analysed from photographs. ____ *Vidensk. Meddr. dansk naturh. Foren.* 139, 263-336 (A fascinating paper).

LINCOLN, R. J., 1976. A new species of *Amphithoe* (*Pleonexes*) (Amphipoda: Amphithoidae) from the North-East Atlantic with a redescription of *A. (P.) gammaroides* (Bate). ____ *Bull. Brit. Mus. nat. Hist. (Zool.)* 30, 229-241.

- LINDÉN, O., 1976. Effects of oil on the amphipod *Gammarus oceanicus*. ____ Environ. Poll. 10, 239-250.
- LOCKWOOD, A.P.M., 1976. Physiological adaptation to life in estuaries. ____ Pp. 315-392 in R. C. Newell (ed.) Adaptation to environment. Essays on the physiology of marine animals. Butterworths, London-Boston.
- LOWRY, J.K. & S. BULLOCK, 1976. Catalogue of the marine gammaridean Amphipoda of the Southern Ocean. ____ Bull. roy. Soc. N.Z. 16, 1-187 (A most useful compilation. See A.N. 8 p 12)
- MACEK, K.J., K.S. BUXTON, S. SAUTER, S. GUILKA & J.W. DEAN, 1976. Chronic toxicity of Atrazine to selected aquatic invertebrates and plants. ____ Ecol. Res. Ser. US Environm. Protection Agency, EPA 600/3-76-047, 1-58. (Deals i.a. with *Gammarus fasciatus*. Not seen)
- MEUSY, J.-J., L. BARTHÉLEMY, D. NAY, A. BELAUD & E. GIRIN, 1976. Experimentation hyperbare (110 atmosphères) chez un Crustacé amphipode Talitridae (*Orchestia gammarella* (Pallas)). ____ Hydrobiologia 51, 139-147. (No evident effects).
- MOORE, P.G., 1977. Additions to the littoral fauna of Rockall, with a description of *Aracolaïmus penelope* sp. nov. (Nematoda: Axonolaimidae) ____ J. mar. biol. Ass. UK 57, 191-200. (No amphipods collected, so the single *Hyale nilssoni* of Crisp is still the only amphipod known)
- MYKLEBUST, R., B. MIDTTUN & A. TJØNNELAND, 1976. The membrane systems of the cardiac muscle cell of *Tmetonyx cicada* O. Fabricius (Crustacea, Amphipoda). ____ Cell. Tiss. Res. 173, 451-560.
- NAYLOR, E., 1976. Ehythmic behaviour and reproduction in marine animals. ____ Pp. 393-429 in R.C. Newell (ed.) Adaptation to environment. Essays on the physiology of marine animals. Butterworth, London-Boston.
- NILOVA, O. I., 1976. (Some data on the ecology and biology of *Gmelionides fasciatus* acclimatized in Otradnoe lake, Leningrad district.) ____ Izv. Nauchno-issles. Inst. ozernogo i rechnogo ryb. khoz. Leningrad 110, 10-15 (In Russian, not seen).
- NILSSON, L.M. & P SJÖSTRÖM, 1977. Colonization of implanted substrates by differently sized *Gammarus pulex* (Amphipoda). ____ Oikos 28, 43-48.
- OSADCHIKH, V.F.A., 1977. (A finding of *Cardiophilus baeri* in the marsupium of corophiids (Amphipoda, Gammaridae).) ____ Zool. Zhurn. 56, 156-158 (in Russian).
- PAVLYUCHKOV, V.A., 1976?. (Some data on composition and distribution of amphipods (Gammaridae) in the sublittoral of the bay Petra Velikogo (Sea of Japan)). ____ Izv. Tikho-ok. Inst. ryb. khoz. okeanogr. 98, ?-?. (In Russian, not seen.)

PERCY, J.A. & T. C. MULLIN, 1977. Effects of crude oil on the locomotory activity of arctic marine invertebrates. ____ Mar. Poll. Bull. 8, 35-40. (Low oil concentration significantly impair locomotory activity in *Onisimus affinis*).

PONOMAREVA, Z. A., 1975. (Salt tolerance of *Dikerogammarus haemobaphes* (Eichwold) from the Dniepr-mouth region.) ____ Hidrobiol. Zhurn. 11 (6), 84-86. (In Russian, not seen)

PONOMAREVA, Z. A., 1976. (Distribution of some amphipods of the Caspian-relict complex in thermogradient condition.) ____ Izv. nauchno-issled. Inst. ozernogo i rechnogo ryb. khoz. Leningrad 110, 36-40. (In Russian, not seen)

PONOMAREVA, Z.A. & G.A. KRASUTSKAYA, 1976. (On the biology of the amphipod *Chaetogammarus ischnus* (Stebbing) in the Dnieper estuary (Black Sea basin). ____ Izv. nauchno-issled. Inst. ozernogo i rechnogo ryb. khoz. Leningrad 110, 27-35. (In Russian, not seen)

POPIEL, I., 1976. The ultrastructure of the metacaridea of *Cercaria stunkardi* Palombi, 1934 (Digenea: Opecoelidae) in an experimental host, *Amphithoe rubricata*. ____ Norw. J. Zool. 24, 353-364.

REIMER, A.A., 1975. Description of a Tetracrita stalactifera panamensis community on a rocky intertidal Pacific shore of Panama. ____ Mar. Biol. 35, 225-238. (See also 239-251)

RYLAND, J.S., 1976. Physiology and ecology of marine Bryozoa. ____ Adv. mar. Biol. 14, 285-443. (A most useful review paper)

SAIAG, P., 1976. Action des rayons X sur la mortalité des individus pubères et la fertilité des femelles chez le crustacé amphipode *Orchestia gammarellus* (Pallas). ____ C.R. Acad. Sci. Paris 282 D, 1979-1982.

SCHELOSKE, H.-W., 1976. Ist die Unterteilung des Magens der Malacostraca in "Carida" und "Pylorus" berechtigt? Ein Beitrag zur vergleichenden Anatomie der Crustacea – Malacostraca. ____ Z. zool. Syst. Evol. f. 14, 253-280. (According to the author, the answer to the question in the title is "No")

SCOTT, K.J. & R.A. CROKER, 1976. Macroinfauna in northern New England marine sand. 3. The ecology of *Psammonyx nobilis* (Stimpson, 1853) (Crustacea, Amphipoda). ____ Can. J. Zool. 54, 1519-1529.

SEGERSTRÅLE, S.G., 1976. Immigration of relicts into northern Europe. ____ Boreas 5, 1-7 (not seen).

SEGERSTRÅLE, S.G., 1976. Proglacial lakes and the dispersal of glacial relicts. ____ Commentat. biol. 83, 1-15.

SCHULENBERGER, E. & J.L. BARNARD, 1976. Amphipods from an abyssal trap set in the North Pacific gyre. ____ Crustaceana 31, 241-258. (With descriptions of

Orchomene gerulicornis n.sp. (= *O. affinis* Birstein & Vinogradov, non Holmes),
Paralicella tenuipes and *P. caperesca* n.sp.)

STEELE, D.H., 1976. Seasonal changes in abundance of *Gammarus oceanicus* (Crustacea, Amphipoda) in Newfoundland. ____ Can. J. Zool. 54, 2019-2022.

STOCK, J.H., 1976. A new member of the crustacean suborder Ingolgiellidea from Bonaire. ____ Stud. Fauna Curacao 50, 56-75. (An important paper in which the sub order is divided into 2 families, with 3 genera (*Metaingolgiella*, *Tragloleleupia*, *Ingolgiella*), the latter with 5 subgenera (*Ingolgiella*, *Balcanella*, *Hanseniella*, *Trianguliella* n. subgen (type *I. manni*) and *Gevgerliella*). *I (G.) putealis* n. sp. Is described, and a complete bibliography to the Ingolgiellidea provided.

TANAKA, Y., H. MATSUGUCHI, T. KATAYAMA, K.L. SIMPSON & C.D. CHICHESTER, 1976. The biosynthesis of astaxanthin -16. The carotenoids in Crustacea. ____ Comp. Biochem. Physiol. 54 B, 391-393. (Not seen. Amphipoda?)

THOMAS, J.D., 1976. A survey of gammarid amphipods of the Barataria Bay, Louisiana region. ____ Contr. mar. Sci. 20, 87-100. (21 species of amphipods of which 1 genus and five species appear to be new to science)

THURSTON, M., 1977. Depth distribution of *Hyperia spinigera* Bovallius 1889 (Crustacea, Amphipoda) and medusa in the North Atlantic Ocean, with notes on the Associations between *Hyperia* and coelenterates. ____ Pp. ?-? in M. Angel (ed.). A voyage of Discovery, George Deacon 70th Anniversary Volume. Deep Sea Res. Suppl. (Not seen)

TURQUIN, M.-J., 1976. Troglophilie et embryologie. ____ Bull. Soc. zool. Fr. 101, 503. (Not seen)

VADER, W., 1977. Habitat and distribution of *Perforatella rubiginosa* (Gastropoda, Pulmonata) in the freshwater tidal region of the Scheldt estuary, Belgium. ____ Hydrobiologia 52, 23-28. (Contains some data on *Orchestia cavimana*),

WESTERNHAGEN, H. von, 1976. Some aspects of the biology of the hyperiid amphipod *Hyperoche medusarum*. ____ Helgol. wiss. Meeresunters. 28, 48-50.

WESTERNHAGEN, H. von & H. ROSENTHAL, 1976. Predator-prey relationship between Pacific Herring, *Clupea harengus pallasai*, larvae and a predatory hyperiid amphipod *Hyperoche medusarum*. ____ Fish. Bull. 74, 669-674. (A laboratory study. Individual mean predation rate was found to decline with increasing predator as well as prey densities, prolonged exposure time, and the presence of alternative prey).

WILLOUGHBY, L.G. & D.W. SUTHCLIFFE, 1976. Experiments on feeding and growth of the amphipod *Gammarus pulex* (L.) related to its distribution in the river Duddan. ____ Freshw. Biol. 6, 577-586 (Not seen)

YOUNG, D.K., M.A. BUZAS & M.W. YOUNG, 1976. Species densities of macro-benthos associated with seagrass: A field experimental study of predation. ____ J. mar. Res. 34, 577-592. (Not seen)

LAST MINUTE ADDITIONS

News from colleagues

Jim LOWRY: I have had good response for *Cerapus* material and am getting on with the job. The New Zealand paper will be ready for submission soon and the Australian material is next on the list. No species appears to overlap between the areas.

We are also getting quite a lot of work done on Zealand and Subantarctic amphipods now in my lab and should be submitting some work from that project soon.

BIBLIOGRAPHY II

ALOUF, N. J., 1976. Sur la presence d'*Echinogammarus* du groups *pugens* au Liban: *E. berytensis* n.sp., *E. tripolensis* n.sp. et *E. rashiini* n.sp. (Crustacea, Amphipoda). ____ Bull. zool. Mus. Adam 5, 163-176.

BULNHEIM, H.-P., 1977. Geschlechtumstimmung bei *Gammarus duebeni* (Crustacea, Amphipoda) unter dem Einfluss hormonaler und parasitärer Faktoren. ____ Biol. Zbl. 96, 61-78.

BURTON, W. & J.F. FLANNAGAN, 1976. An improved river drift sampler. ____ Fish. mar. Serv. techn. Rep. 641, 1-8.

CHAMBERS, M.R., 1977. The population ecology of *Gammarus tigrinus* (Sexton) in the reed beds of the Tjeukemeer. ____ Hydrobiologia 53, 155-164.

CHRISTIE, N.D., 1976. A numerical analysis of the distribution of a shallow sublittoral sand macrofauna along a transect at Lembergs Bay, S. Africa. ____ Trans. roy. Soc. S. Afr. 42, 149-172.

CHRISTIE, N. D., 1976. The efficiency and effectiveness of a diver-operated suction sampler on a homogenous macrofauna. ____ Estuar. coastal mar. Sci. 4, 687-693.

DEROUX, G., A. CAMPILLO & Ph. C. BRADBURY, 1976. *Ascophrys rodor* (Campillo & Deroux) parasite de la crevette rose *P. serratus* en elevage. Rev. Trav. Inst. Pêches marit. 39, 359-379. (I have included this reference because the above parasite looks quite similar to symbionts of the amphipod *Rhachotropis macropus* in Norway (W.V. unpublished obs.), and similar organisms may have been observed by some of you on other amphipods.

ERCOLINI, A. & F. SCAPINI, 1976. Sensitivity and response to light in the laboratory of the littoral amphipod *Talitrus saltator* Montagu. ____ Monit. zool. ital. (N.S.) 10, 293-309. (In the lab, *Talitrus* is predominantly photopositive, both to monochromatic and polychromatic light. When given the choice between two monochromatic lights, it prefers the brightest.)

FRANKE, U., 1977. Experimentelle Untersuchungen zur Respiration von *Gammarus fossarum* Koch, 1835 (Crustacea, Amphipoda) in Abhängigkeit von Temperatur, Sauerstoffkonzentration und Wasserbewegung. ____ Arch. Hydrobiol., Suppl. 48, 369-411. (A new respirometer is described, which unites the qualities of the of the closed-bottle and the flowing-water method. The relation between respiration and body size (at 12°C, O₂-saturation and v=0 cm/sec.) is expressed by the equation $R(TG)=1.21 \cdot TG^{0.75}$. At all O₂-conc. And for v=0 cm/sec. The temperature-respiration curves are straight lines. In running water the functions are non-linear. *Gammarus fossarum* is a partial regulator at decreasing p O₂, with less regulation in juveniles, and with increasing temp. and current velocity. *Conclusions*: the microhabitat of *G. fossarum* must present the following qualities. 1. T_{max}=22°C (for a short time 25°C), 2. P O₂min=50mm Hg, 3. V/optimal=about 5 cm/sec.; v must never be 0 cm/sec)

- GABLE, M.F. & R.A. CORKER, 1977. The salt marsh amphipod, *Gammarus palustris* Bousfield, 1969 at the northern limit of its distribution. 1. Ecology and life cycle. ____ Estuar. coastal mar. Sci. 5, 123-134.
- GULLIKSEN, B. & K.M. DERÅS, 1977. A diver-operation suction sampler for fauna and rocky bottoms. ____ Oikos 26, 246-249.
- HOBSON, E.S. & J.R. CHESS, 1976. Trophic interactions among fishes and zooplankters near shore at Santa Barbara island, California. ____ Fish. Bull. 74, 567-598.
- HUSMANN, S., 1976. "First international Symposium on groundwater ecology." Introduction; sense and course of the meeting. ____ Int. J. Speleol. 8, 3-6.
- HUSMANN, S., 1976. Studies on subterranean drift of stygobiont crustaceans (*Niphargus*, *Crangonyx*, *Graeteriella*). ____ Int. J. Speleol. 8, 81-92. (These stygobionts show no sign of diel periodicity).
- LEE, W.Y., M.F. WELCH & J.A.C. NICOL, 1977. Survival of two species of amphipods in aqueous extracts of Petroleum oils. ____ Mar. Poll. Bull. 8, 92-94. (Species tested were *Gammarus mucronatus* and *Amphithoe valida*: they were quite sensitive to oil.)
- MOORE, J.W., 1977. Some aspects of the feeding biology of benthic herbivores. ____ Hydrobiologia 53, 139-146. ("Since most methods used in collection, preservation, gut content & grazing analysis involve such a high degree of error, many of our concepts regarding the nutritional importance of different foods, selective feeding and the magnitude of herbivorous grazing may be largely misleading".)
- MOORE, J.W., 1977. Importance of algae in the diet of subarctic populations of *Gammarus lacustris* and *Pontoporeia affinis*. ____ Can. J. Zool. 55, 637-641.
- NOTONI, M. & Å. HAGSTRÖM, 1974. Effects of oils on Baltic littoral community, as studied in an outdoor model test system. ____ NBS spec. Publ. 409, 251-254.
- NOTONI, M., B. NAGELL, Å. HAGSTRÖM & O. GRAHN, 1977. An outdoor model simulating a Baltic Sea littoral ecosystem. ____ Oikos 28, 2-9.
- RÜTZLER, K., 1976. Ecology of Tunisian commercial sponges. ____ Tethys 7 (1975), 249-264. (with data on symbiotic crustaceans)
- SCHRIEVER, G., 1975. In situ-Beobachtungen an *Hyperia galba* Montagu (Amphipoda, Hyperidea) in der westlicher Ostsee. ____ Kieler Meeresf. 31, 107-110.
- SELLEM, E., J.-P. HENRY & G. MAGNIEZ, 1976. Utilisation du microscope électronique à balayage dans l'étude systématique des Crustacés Péracarides. ____ Actes 97. Congr. natn. Soc. savantes. (Nantes 1972), Sciences 3, 711-720. (Amphipod data mainly on *Orchestia* spp.)

SIMONETTA, A.M., 1976. Remarks on the origin of the Arthropoda. ____ Atti Soc. Toscana Sci. nat. Mem. B 82, 112-134.

VOSHELL, J.R. & G.M. SIMMONS, 1977. An evaluation of artificial substrates for sampling macrobenthos in reservoirs. ____ Hydrobiologia 53, 257-269.

BIOGRAPHY III

ANKAR, S., 1976. Final report from the benthic macrofauna group. Baltic Sea Expert Meeting on intercalibration of biological and chemical methods, Askö, June 8-15, 1974. ____ Contr. Askö Lab. Univ. Sthlm. 12, 1-27.

ANKAR, S., 1977. The soft bottom ecosystem of the northern Baltic proper with special references to the macrofauna. ____ Contr. Askö lab. Univ. Sthlm. 19, 1-62.

ARIMOTO, I., 1976. Occurrence of *Caprella (C.) laevis* (Schurin) on the shallow bottom of northeastern Hokkaido. ____ Physiol. Ecol. Japan 17, 445-448.

ARIMOTO, I., 1976. Record of *Caprella laevis* (Schurin) (Crustacea: Amphipoda) from Hokkaido, Japan. ____ Publ. Seto mar. biol. Lab. 23, 51-56.

BYNUM, K.H. & R. S. FOX, 1977. New and noteworthy amphipod crustaceans from North Carolina, USA. ____ Chesapeake Sci. 18, 1-33. (New taxa: *Gammarus jenneri* (near *G. duebeni*), *Maera williamsi*, *M. caroliniana*, *Stenothoe georgiana*, *Lembos unicornis*, and *Microdeutopus myersi*. Descriptions are also given of *Protohaustorius* cf. *deichmannae* and *Atylus* cf. *minikoi*, while *Stenothoe minuta* is refigured).

CHANG, B.D. & C.D. LEVINGS, 1976. Laboratory experiments on the effects of ocean dumping on benthic invertebrates I. Choice tests with solid wastes. ____ Fish. mar. Serv. Res. Developm. Div., tech Rept. Can. 637, 4pp (Not seen. Deals with i.a. *Corophium salmonis*)

CHINCHILLA, M. & F.A. COMIN, 1977. (A contribution to the study of the crustaceans of the Ebre delta.) ____ Treballs Inst. Catalana Hist. nat. 8, 119-144. (In Catalan, with English summary. Forty-six species, among 12 amphipods, are listed and amply illustrated with original figures. The amphipods dealt with are *Gammarus aequicauda*, *Echinogammarus pacaudi*, *Elasmopus rapax*, *Leptocheirus pilosus*, *Microdeutopus gryllotalpa*, *Pleonexes gammaroides*, *Corophium insidiosum*, *C. acutum*, *C. volutator*, *Erichthonius brasiliensis*, *E. difformis* and *Phtisica marina*).

CZECZUGA, B., 1976. Carotenoids content in some Crustaceans from the Baltic Sea. ____ Bull. Acad. pol. Sci., Cl. II, Ser. Sci. biol. 24, 349-353 (Not seen).

DAGG, M.J., 1976. Complete carbon and nitrogen budgets for the carnivorous amphipod, *Calliopius laevisculus* (Krøyer). ____ Int. Rev. ges. Hydrobiol. 61, 297-357.

DIELEMAN, J. & S. PINKSTER. Further observations on the range extension of the alien amphipod *Gammarus tigrinus* Sexton, 1939, in the Netherlands during the years 1974 to 1976. ____ Bull. zool. Mus. Univ. A'dam 6, 21-29.

FOSTER-SMITH, R.L. & R.O. SHILLAKER, 1977. Tube irrigation by *Lembos websteri* and *Corophium bonnellii* Milne Edwards (Crustacea: Amphipoda). ____ J. exp. mar. Biol. Ecol. 26, 289-296.

GOEDMAKERS, A. & S. PINKSTER, 1977. The *Gammarus pulex*-group in Italy (Crustacea – Amphipoda). (A study based on material from the Museo Civico di Storia Naturale, Verona). ____ Bull. Zool. Mus. Univ. A'dam 6, 11-20. (Four species, incl. *G. italicus* n. sp.)

HARBISON, G.R., D.C. BIGGS & L.P. MADIN, 1977. The associations of Amphipoda Hyperiidea with gelatinous zooplankton 2. Associations with Cnidaria, Ctenophora and Radiolaria. ____ Deep-Sea Res. 24, 465-488.

HARTWICK, R.F., 1976. Beach orientation in Talitrid amphipods: capacities and strategies. ____ Behav. Ecol. Sociobiol. 1, ?-? (Not seen).

KENNEDY, C.R., 1977. The regulation of fish parasite populations. ____ Pp 63-109 in "Regulation of parasite populations", Academic Press. N.Y. (With data on acanthocephalan parasites in fresh-water *Gammarus*)

KENNEDY, C.R. & A. RUMPUS, 1977. Long-term changes in the size of the *Pomphorhynchus laevis* (Acanthocephala) population in the river Avon. ____ J. Fish. Biol. 10, 35-42. (*Gammarus pulex* is the intermediate host).

MADIN, L.P. & G.R. HARBISON, 1977. The association of Amphipoda Hyperiidea with gelatinous zooplankton. 1. Associations with Salpidae. ____ Deep-Sea Res. 24, 449-463.

MOORE, J.W., 1976. The proximate and fatty acid composition of some estuarine crustaceans. ____ Est. coast. mar. Sci. 4, 215-224. (i.a. *Gammarus salinus*, and *Orchestia gammarellus*).

ORTIZ TOUZET, M., 1976. The crustacean amphipod *Mallacoota carausui* from the Cuban waters. ____ Rev. roum. Biol., Bucarest 21, 93-95. (Not seen)

ORZECZOWSKI, B., 1974. The correlation between the respiration metabolism of *Gammarus fossarum* (Koch) and the presence of some ammonium salts in water. ____ Acta Univ. Nicolai Copernici, Torun 34, 3-16 (Not seen).

POGREBOV, V.B., M.V. PROPP & V.G. TARASOV, 1975. (Ecological system of a Barents Sea fjord 2. Bottom-dwelling communities). ____ Biol. mor. 1 (4), 51-60. (In Russian. English translation in Sov. J. mar. Biol. 1(4), 278-285)

SARMA, A.L.N. & P.N. GANAPATI, 1975. Phytal fauna of the Visakhapatnam harbour buoys. ____ Bull. Dept mar. Sci. Univ. Cochin 7, 263-272. (13 amphipod spp listed on p 267).

SPRAGUE, J.B., 1976. Current status of sublethal tests of pollutants on aquatic organisms. ____ J. Fish. Res. Bd. Can. 33, 1988-1992.

SWISS, J.J. & M.G. JOHNSON, 1976. Energy dynamics of two benthic crustaceans in relation to diet. ____ J. Fish. Res. Bd. Can. 33, 2544-2550 (Not seen).

TZVETKOVA, N.L. & V.A. KUDRYASHOV, 1975. (New genus of amphipod of the family Calliopidae from the North Pacific Ocean.) ____ Biol. mor. 1 (4), 13-23. (In Russian, not seen: translated in Sov. J. mar. Biol. 1, 246-254. The new genus *Paracalliopiella* is erected for *Leptamphopus litoralis* and *Calliopiella (?) pratti*)

VANDER WAL, J., 1977. Relation between Nipigon Bay benthic macroinvertebrates and selected aspects of their habitat. ____ J. Fish. Res. Bd. Can. 34, 824-829. (With many data on *Pontoporeia affinis*).

WING, B.L. & N. BARR, 1977. Midwater invertebrates from the southeastern Chukchi Sea: species and abundance in catches incidental to mid-water trawling survey of fishes, September-October 1970. ____ NOAA techn. Rep. NMFS SSRF. 710, 1-43. (Forty spp. of Amph. are listed on p. 3-4 (midwater trawl) and 5 (otter trawl)).

BIBLIOGRAPHY IV

ANDRES, H.G., 1977. Gammaridea (Crustacea, Amphipoda) aus dem Iberischen Tiefseebecken. Auswertung des Material der Fahrten 3 und 15 von F.S. "Meteor". ____ Meteor Forsch. -Ergebn. D 25, 54-67 (Descriptions and illustrations of *Bathyceradocus iberiensis* n.sp., *Paracallisoma platepistomum* n.sp. *Parandeniexis* cf. *mirabilis* and *Parargissa galathea*. *Paracallisoma alberti* and *P. coecum* are **not** synonymous, in the authors opinion.)

BAJCHOROV, V.M. & V.P. SEMENCHENKO, 1977. (Size-weight characteristics and caloric value of *Pontoporeia affinis* Lindstr. from different habitats) ____ Hidrobiol. Zh. 13 (2), 70-73. (In Russian, not seen)

BEEEMSTER, P. & D. de ZWART, 1977. *Talorchestia frisiae* Klein, 1969: phase juvenile de *T. deshayesii* (Audouin, 1826). ____ Bull. zool. Mus. Univ. A'dam 6, 39-44.

CABIOCH, L. & C. RODRIGUEZ BABIO, 1975. Sur deux espèces d'amphipodes nouvelles pour la faune marine de Roscoff. ____ Trav. Stat. biol. Roscoff. (N.S.) 22, 15-16. (*Lepidepecreum longicorne* and *Photis longicaudata*).

CROKER, R.A. & M.F. GABLE, 1977. Geographic variation in western Atlantic populations of *Gammarus oceanicus* Segerstråle (Amphipoda). ____ Crustaceana 32, 55-76.

ELKAÏM, B., 1976. Bionomie et ecologie du peuplements des substrats meubles d'un estuarie atlantique marocain: l'estuarie du Bou Regreg. 1. Unites indicatrices infralittorales. ____ Vie Milieu 26 B, 107-169.

FINCHAM, A.A., 1977. Establishment of a new genus in the family Phoxocephalidae (Crustacea: Amphipoda) and a description of a new species from North Island, New Zealand. ____ Bull. Br. Mus. nat. Hist. (Zool.) 31, 285-? (*Waitangi* n. gen., type species *Paraphoxus rakiura* Cooper & Fincham, 1974, further species *W. brevirostris* n.sp.)

GINSBURGER-VOGEL, T., 1977. Une mutation à effet métamérique chez *Orchestia gammarellus* (Pallas); la mutation "déficiency en oostégites". ____ Arch. Zool. exp. gén. 118, 73-78.

GRIFFITHS, D., 1977. Caloric variation in Crustacea and other animals. ____ J. Anim. Ecol. 46, 593-605.

GRIGORIEV, B.F. & V.A. PUPKOV, 1977. (Benthic invertebrates from Jagorlytsk and Tendrovskij Bays of the Black Sea). ____ Vestnik zool. Akad. Nauk USSR 1977 (2), 76-82. (In Russian, not seen)

HINE, P.M., 1977. *Acanthocephalus galaxii* n.sp., parasitic in *Galaxias maculatus* (Jenyns, 1842) in the Waimeha Stream, New Zealand. ____ J. roy. Soc. N.Z. 7, 51-57. (Intermediate host is *Paracalliops fluviatilis*)

IVERSEN, T.M. & J. JESSEN, 1977. Life-cycle, drift and production of *Gammarus pulex* L. (Amphipoda) in a Danish spring. ____ Freshw. Biol. 7, 287-296.

KARAMAN, G.S., 1976. Contribution to the knowledge of the Amphipoda 72. Four new *Niphargus* species from Italy, *N. duplus*, *N. stygocharis*, *N. italicus*, *N. ruffoi* and *N. canui* (Gammaridae). ____ Vie Milieu 26 C, 21-50.

LAUBITZ, D.R., 1977. A revision of the genera *Dulichia* Krøyer and *Paradulichia* Boeck (Amphipoda, Podoceridae). ____ Can. J. Zool. 55, 942-982 (*Dulichia* s.l. is divided into 3 genera, *Dulichia* s.s. (Type *D. spinosissima*, 5 species i.a. *D. wolffi* n.sp.), *Dulichiosis* n. gen. (type *Dulichia nordlandica*, 6 species, i.a. *D. barnardi* n.sp.) and *Dyopedos* Bate, 1857 (type *D. porrectus*, 9 species). *Paradulichia spinifera* is synonymized with *P. typical*, while *P. secunda* is retained as a doubtful species).

MACQUART-MOULIN, C., 1976. Rythmes d'activité persistants chez les Péracarides du plankton nocturne de Méditerranée (Amphipodes, Isopodes). ____ Mar. Behav. Physiol. 4, 1-15. (Not seen, unfortunately).

MAYER, F.L., P.M. MEHRLE & H.O. SANDERS, 1977. Residue dynamics and biological effects of polychlorinated bisphenyls in aquatic organisms. ____ Arch. environm. Contam. Toxicol. 5, 501-511. (Deals with i.a. *Gammarus fasciatus* and *G. pseudolimnaeus*).

NILSSON, L.M. & C. OTTO, 1977. Effects of population density and of presence of *Gammarus pulex* L. (Amphipoda) on the growth in larvae of *Potamophylax cingulatus* Steph. (Trichoptera). ____ Hydrobiologia 54, 109-112.

OSEID, D.M., 1977. Control of fungus growth on fish eggs by *Asellus militaris* and *Gammarus pseudolimnaeus*. ____ Trans. Am. Fish. Soc. 106, 192-195.

PARADIS, M. & R.G. ACKMAN, 1976. Localization of a marine source of odd chain-length fatty acids. 1. The amphipod *Pontoporeia femorata* (Krøyer). ____ Lipids 11, 863-870.

PARADIS, M. & R.G. ACKMAN, 1976. Localization of a marine source of odd chain-length fatty acids. 2. Seasonal propagation of odd chain length monoethylenic fatty acids in a marine food chain. ____ Lipids 11, 871-876.

RODGERS, D.W. & S.U. QADRI, 1977. Seasonal variations in calorific values of some littoral benthic invertebrates of the Ottawa River, Ontario. ____ Can. J. Zool. 55, 881-884. (i.a. *Gammarus fasciatus* and *Hyaella azteca*).

SHYAMASUNDARI, K. & K. HANUMANTHA RAO, 1976. Studies on the Alimentary canal of amphipods: Excretory caeca. ____ Crustaceana 31, 190-192. (Not seen)

STEPHENSON, W. & B.M. CAMPBELL, 1977. The macrobenthos of Serpentine Creek. ____ Mem. Queensl. Mus. 18, 75-93. ("The outstanding features of the present data are the large number of amphipod species and the absence of echinoderms and tunicates").

STROOBANTS, G., 1976. Description nouvelle d'*Aroui setosus* Chevreux 1910 (Crustacea Amphipoda) et comparaison de l'évolution morphologique des *Aroui setosus* et des *Scopelocheirus hopei*. ____ Boll. Mus. Civ. Stor. Nat. Verona 3, 239-268.

VINOGRADOV, G.A., 1976. (Osmotic regulation of some glacial-relict crustaceans in connection with their ecology and origin). ____ Explor. Fauna Seas 17 (25). 167-? (In Russian, not seen).

WILLIAMS, N.D. & N.E. WILLIAMS, 1976. Aspects of the ecology of the faunas of some brackish-water pools on the St. Lawrence north shore. ____ Can. Field-Nat. 90, 410-415. (Not seen)

LEUNG, YUK MAAN, 1976. Life cycle of *Cyamus scammoni* (Amphipoda; Cyamidae), ectoparasite of Gray Whale, with a remark on the associated species. ____ Sci. Rept. Whales Res. Inst. 28, 153-160. (Not seen).

ZHANG WEI-QUAN, 1974. (A new species of the genus *Corophium* from the southern coast of Shantung peninsula, North China (*C. sinense* sp.n.) ____ Stud. mar. Sinica 1974 (9), 139 - ? (In Chinese, English summary. Not seen)

ZIMMERMAN, R.J., R.A. GIBSON & J.B. HARRINGTON, 1976. Gammaridean amphipod feeding strategies in a Florida sea grass. ____ Abstr. 12th Meeting Assoc. Isl. Lab. Caribbean, 62 only. (Not seen).

LAST SECOND ADDITIONS

New subscriber

Dr. K. K. SASIDHARAN
Research Scholar
Dept of Aquatic Biology & Fisheries
Trivandrum 7 Kerala
India

Dr. Sasidhran is working on a marine Gammaridean Amphipoda, and envisages a taxonomic survey of marine Gammaridean Amphipoda along the southern coast of India.

Change of address

Dr. Marion J. van MAREN
c/o Université Cl. Bernard (Lyon I)
Département de Biologie Animale et Zoologie
F 69 Villeurbanne
France

A NEW SOCIETY FOR MARINE BIOLOGISTS

PORCUPINE

A Society to promote interest in the ecology and distribution of marine fauna and flora in the N E Atlantic. Its name is derived from the surveying vessel "Porcupine" engaged in 1869 and 1870 on scientific expeditions in the N E Atlantic and Mediterranean, and which gave its name to the Porcupine Bank west of Ireland.

BIOGRAPHY V

..EALEY, M.C., 1977. Experimental cropping of lakes. 4. Benthic communities. ____ Fish. mar. Sci. techn. Rep. (711), 1-48. (*Pontoporeia affinis* and *Hyaella Azteca* are among the dominant benthic animals in the lakes concerned).

KAIM-MALKA, R.A., 1976. Révision des *Haploops* (Crustacea, Amphipoda) de Méditerranée. ____ Boll. Mus. Civ. St. Nat. Verona 3, 269-308. (Three spp., viz. *H. proxima*, *H. dellavallei*, and *H. nira* n.sp.)

KAMIHIRA, Y., 1977. A new species of sandburrowing marine amphipods from Hokkaido, Japan. ____ Bull. Fac. Fish. Hokkaido Univ. 28, 1-5, Pls 1-5. (*Haustorioides japonicas* n.sp.)

McCALL, P.L., 1977. Community patterns and adaptive strategies of the infaunal benthos of Long Island Sound. ____ J. mar. Res. 35, 221-266.

MYERS, A.A., 1976. Studies on the genus *Lembos* Bate. 4. *L. megacheir* (Sars), *L. borealis* sp. nov., *L. hirsutipes* Stebbing, *L. karamani* sp. nov., *L. setimerus* sp. nov. ____ Boll. Mus. Civ. Nat. Verona 3, 445-477.

PERCY, J.A., 1977. Responses of arctic marine benthic crustaceans to sediments contaminated with crude oil. ____ Environ. Pollut. 13, 1-10. (*Onisimus affinis* overwhelmingly selected clean rather than oil-contaminated sediments, while *Corophium clarencense* did not. Many other interesting data).

RUFFO, S. & U. SCHIECKE, 1976. (A new *Bogidiella* from Creta (Amphipoda, Gammaridae), *Bogidiella minotaurus* n.sp. ____ Boll. Mus. Civ. St. Nat. Verona 3, 147-155. (In Italian, with German summary)

SCHIECKE, U., 1976. Eine marine *Ingolfiella* (Amphipoda: Ingolfiellidae) im Golf von Neapel: *Ingolfiella ischitana* n.sp. ____ Boll. Mus. Civ. Nat. Verona 3, 413-420.

SCHIECKE, U., 1976. Eine zweite Art der Gattung *Amhithopsis* Boeck (Amphipoda): *A. depressa* n.sp. aus dem Golf von Neapel (Italien). ____ Boll. Mus. Civ. St. Nat. Verona 3, 421-434. (Contains also additional data on *A. longicaudata*)

SCHIECKE, U., 1976. *Xenodice macrophthalma* n.sp. (Amphipoda: Podoceridae) from the bay of Naples, Italy) with correction of the genus diagnosis. ____ Boll. Mus. Civ. St. Nat. Verona 3, 435-443.